(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
3 May 2001 (03.05.2001)

PCT

(10) International Publication Number
WO 01/30992 A2

(51) International Patent Classification[7]: C12N 15/00

(21) International Application Number: PCT/US00/29139

(22) International Filing Date: 20 October 2000 (20.10.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/161,092 22 October 1999 (22.10.1999) US
60/227,951 25 August 2000 (25.08.2000) US

(71) Applicant *(for all designated States except US)*: **UNIVERSITY OF PITTSBURGH OF THE COMMONWEALTH SYSTEM OF HIGHER EDUCATION** [US/US]; 200 Gardner Steel Conference Center, Pittsburg, PA 15260 (US).

(72) Inventor; and

(75) Inventor/Applicant *(for US only)*: **KOIKE, Chihiro** [US/US]; 5628 Hempstead Street, Pittsburgh, PA 15206-1520 (US).

(74) Agents: **HEFNER, M., Daniel** et al.; Leydig, Voit & Mayer, Ltd., Two Prudential Plaza, Suite 4900, 180 North Stetson, Chicago, IL 60601-6780 (US).

(81) Designated States *(national)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:
— *Without international search report and to be republished upon receipt of that report.*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 01/30992 A2

(54) Title: α1-3 GALACTOSYLTRANSFERASE GENE AND PROMOTER

(57) Abstract: The present invention provides a recombinant expression cassette comprising an α 1-3 galactosyltransferase promoter operably linked to a polynucleotide for expression. The invention also provides a recombinant mutating cassette comprising a region of homology to an α 1-3 galactosyltransferase genomic sequence. The cassettes can be employed to express foreign genes or to disrupt the native α 1-3 galactosyltransferase genomic sequence, particularly within an animal. Thus, the invention also provides transgenic animals and methods for their production and use.

α1-3 GALACTOSYLTRANSFERASE GENE AND PROMOTER

TECHNICAL FIELD OF THE INVENTION

This invention relates to the α1-3 galactosyltransferase gene, promoters therefor, and the use thereof to create transgenic animals.

BACKGROUND OF THE INVENTION

The current shortage of acceptable organs for transplantation is a major health concern. Because the demand for acceptable organs exceeds the supply, many people die each year while waiting for organs to become available. To help meet this demand, research has been focused on developing alternatives to allogenic transplantation. Thus, for example, dialysis has been available to patients suffering from kidney failure, artificial heart models have been tested, and other mechanical systems have been developed to assist or replace failing organs. Such approaches, however, are quite expensive, and the need for frequent and periodic access to such machines greatly limits the freedom and quality of life of patients undergoing such therapy.

Xenograft transplantation represents a potentially attractive alternative to artificial organs for human transplantation. The potential pool of nonhuman organs is virtually limitless, and a successful xenograft transplantation would not render the patient virtually tethered to machines as is the case with artificial organ technology. Host rejection of such cross-species tissue, however, remains a major concern in this area. Some noted xenotransplants of organs from apes or old-world monkeys (e.g., baboons) into humans have been tolerated for months without rejection. However, such attempts have ultimately failed due to a number of immunological factors. Even with heavy immunosupression to suppress hyperaccute rejection, a low-grade innate immune response, attributable in part to failure of complement regulatory proteins (CRPs) within the graft tissue to control activation of heterologous complement on graft endothelium, ultimately leads to destruction of the transplanted organs (see e.g., Starzl, *Immunol. Rev., 141*, 213-44 (1994)). In an effort to develop a pool of acceptable organs for xenotransplantation into humans, researchers have engineered animals producing human CRPs, an approach which has been demonstrated to delay, but not eliminate, xenograft destruction in primates (McCurry et al., *Nat. Med., 1*, 423-27 (1995); Bach et al., *Immunol. Today, 17*, 379-84 (1996)).

In addition to complement-mediated attack, human rejection of discordant xenografts appears to be mediated by a common antigen: the galactose-α(1,3)-

galactose (gal-α-gal) terminal residue of many glycoproteins and glycolipids (Galili et al., *Proc. Nat. Acad. Sci. (USA), 84*, 1369-73 (1987); Cooper et al., *Immunol. Rev., 141*, 31-58 (1994); Galili et al., *Springer Sem. Immunopathol., 15*, 155-171 (1993); Sandrin et al., *Transplant Rev., 8*, 134 (1994)). This antigen is chemically related to the human A, B, and O blood antigens, and it is present on many parasites and infectious agents, such as bacteria and viruses. Most mammalian tissue also contains this antigen, with the notable exception of old world monkeys and apes (including humans) (see Joziasse et al., *J. Biol. Chem., 264*, 14290-97 (1989) and references cited therein)). The antigen is highly immunogenic in humans, and many individuals show significant levels of circulating IgG with specificity for gal-α-gal carbohydrate determinants (see, e.g., Galili et al., *J. Exp. Med., 162*, 573-82 (1985), Galili et al., *Proc. Nat. Acad. Sci. (USA), 84*, 1369-73 (1987)). Thus, in hopes of better understanding barriers to xenotransplantation, recent attention has turned to the enzyme mediating the formation of gal-α-gal moieties: α1-3 galactosyltransferase.

The expression of α1-3 galactosyltransferase is regulated both developmentally and in a tissue-specific manner. The cDNA for this enzyme has been isolated from many species, including pigs (Hoopes et al., poster presentation at the 1997 Xenotransplantation Conference, Nantes France; Katayama et al., *J. Glycoconj., 15*(6), 583-99 (1998); Sandrin et al., *Xenotransplantation, 1*, 81-88 (1994), Strahan et al., *Immunogenics, 41*, 101-05 (1995)), mice (Joziasse et al., *J. Biol. Chem., 267*, 5534-41 (1992)), and cows (Joziasse et al., *J. Biol. Chem., 264*, 14290-97 (1989). While authors have proposed to eliminate the gene from xenograft donor animals (Sandrin et al. (1994), *supra*; U.S. Patent 5,821,117 (Sandrin et al.)), gene knock-out procedures generally require knowledge of the genomic structure and sequence beyond the cDNA of a given gene. The genomic organization of the mouse α1-3 galactosyltransferase homologue has been deduced (Joziasse et al., *J. Biol. Chem., 267*, 5534-41 (1992)), and human homologues are known to be inactive pseudogenes (see Joziasse et al., *J. Biol. Chem., 266*, 6991-98 (1991); Larsen et al., *J. Biol. Chem., 265*, 7055-61 (1990)). However, the genomic organization of an α1-3 galactosyltransferase homologue from a species that could serve as a xenograft donor for human recipients has yet to be deduced, and no promoter for any α1-3 galactosyltransferase homologue gene is known. As such, there exists a need for methods and reagents for facilitating xenotransplantation between species, particularly between species exhibiting differential expression of the gal-α-gal epitope.

BRIEF SUMMARY OF THE INVENTION

The present invention provides a recombinant expression cassette comprising an α1-3 galactosyltransferase promoter operably linked to a polynucleotide for expression. The invention also provides a recombinant mutating cassette comprising a region of homology to an α1-3 galactosyltransferase genomic sequence. The cassettes can be employed to express foreign genes or to disrupt the native α1-3 galactosyltransferase genomic sequence, particularly within an animal. Thus, the invention also provides transgenic animals and methods for their production and use. These aspects of the invention, as well as additional inventive features, will be apparent from the accompanying drawing, sequence listing, and the following detailed description.

BRIEF DESCRIPTION OF THE DRAWINGS

Figures 1A through 1I depict the genomic organization porcine α1-3 galactosyltransferase gene. Figure 1A depicts all introns and exons of the gene, indicating the size of the respective elements. Figures 1B through 1I depict alternatively spiced variants isolated from pig aortic endothelial cells.

Figure 2 depicts the organization of a portion of the porcine α1-3 galactosyltransferase promoter.

Figure 3 depicts the organization of the alternate splicing patterns observed in the expression of the human untranslated α1,3 galactosyltransferase pseudogene.

DETAILED DESCRIPTION OF THE INVENTION

In a first aspect, the present invention provides a recombinant expression cassette in which an α1-3 galactosyltransferase promoter is operably linked to a polynucleotide for expression. The expression cassette is "recombinant" in that within the inventive cassette, the polynucleotide for expression is other than one encoding α1-3 galactosyltransferase. The promoter and the polynucleotide are "operably linked" in that an event at the promoter (e.g., binding of cellular transcription factors and other DNA binding proteins) precipitates expression (i.e., transcription) of the polynucleotide. So long as this operable linkage is maintained, the cassette can include elements other than the α1-3 galactosyltransferase promoter and the polynucleotide for expression. For example, the cassette can contain polyadenylation sequences, repressors, enhancers, splice signals, signals for secretion (see, e.g., U.S. Patent 4,845,046 and European Patent EP-B-319,641), etc. Moreover, the expression cassette can

include more than one polynucleotide operably linked to the α1-3 galactosyltransferase promoter, (e.g., multiple coding sequences separated by internal ribosome entry sites).

The α1-3 galactosyltransferase promoter can be derived from any species normally expressing the gene. Thus, for example, the promoter can be derived from the bovine, porcine, or murine α1-3 galactosyltransferase genes. Examples of such promoters are set forth at SEQ ID Nos:1-6. However, the α1-3 galactosyltransferase promoter is not limited to one of these sequences, as it can be an active fragment of one of these sequences or a derivative of one of these sequences having one or more mutations (e.g., point mutations, substitutions, insertions, deletions, etc.). Furthermore, given the instant disclosure, it is within the ordinary skill of the art to assay regions of the α1-3 galactosyltransferase gene unrelated to SEQ ID NOs:1-6 for promoter activity, and the inventive expression cassette can include any α1-3 galactosyltransferase promoters so identified. Suitable promoters can be readily identified by construction an expression cassette in which the derivative sequence is operably linked to a desired reporter gene (e.g., RNA for detection by Northern hybridization, or DNA encoding CAT, luciferase, green-fluorescent peptide, β-galactosidase, etc.) and introducing the cassette into a suitable environment for transcription and (where appropriate) translation. Subsequently, promoter activity is detected by assaying for the presence of the reporter by standards methods (e.g., Northern hybridization, Southern hybridization, enzymatic detection, immunohistochemistry, etc.).

Within the expression cassette, the α1-3 galactosyltransferase promoter can be operably linked to any desired coding polynucleotide. Generally, where expression of a given gene or factor is desired, the skilled artisan will be in possession of the sequence of the coding polynucleotide. Thus, the polynucleotide can be expressed as a bioactive RNA molecule (e.g., an antisense RNA or a ribozyme). Alternatively, the polynucleotide can encode a protein of interest, and in this embodiment, the polynucleotide can be or comprise cDNA or genomic DNA.

Where the polynucleotide encodes a protein, any desired protein can be so encoded, and it need not be syngenic to the species from which the promoter is derived. Thus, for example, the cassette can be employed in animals to produce proteins facilitating growth or bulking of the animal (e.g., bovine or human growth factor) for conferring resistance to disease or parasites. Other encoded proteins can be enzymes such as sulfo- or glycosyltransferases, (e.g., a fucosyltransferase, a galactosidase, a galactosyltransferase, a, a β-acetylgalactosaminyltransferase, an

N-acetylglycosaminyltransferase, an N-acetylglucosaminyltransferase, a sialyltransferase, etc.). Where the expression cassette is employed to generate tissue or organs for xenotransplantation into an organism lacking gal-α-gal antigens (as described below), preferably the polynucleotide encodes a Type I fucosyltransferase, a Type II fucosyltransferase, an α 2-3 sialyltransferase, or an α 2-6 sialyltransferase from any species, the coding sequences of which are known (see, e.g., Larsen et al., *Proc. Nat. Acad. Sci. (USA), 87*, 6674-78 (1990); Kelly et al., *J. Biol. Chem., 270*(9), 4640-49 (1995), *J. Biol. Chem., 268*(30), 22782-87 (1993), Weinstein et al., *J. Biol. Chem., 262*(36), 17735-43 (1987)).

The expression cassette can be constructed by conventional methods of molecular biology (e.g., direct cloning by ligation, site specific recombination using recombinases, such as the flp recombinase or the cre-lox recombinase system (reviewed in Kilby et al. *Trends Genet., 9*, 413-21 (1993)), homologous recombination, and other suitable methods). Typically, the promoter sequence is introduced into a vector 5' (i.e., "upstream") of the coding polynucleotide and any other elements (e.g., ribosome entry sites, polyadenylation sequences, etc.), after which the construct is subcloned and grown in a suitable host organism (e.g., yeast, bacteria, etc.) from which it can be isolated or substantially (and typically completely) purified by standard methods. Thus, the invention provides a vector (preferably an isolated or substantially purified vector) including a recombinant expression cassette as set forth above. Such a vector can be any desired type of vector, such as naked DNA vectors (e.g., oligonucleotides or plasmids); viral vectors (e.g., adeno-associated viral vectors (Berns et al., *Ann. N.Y. Acad. Sci., 772*, 95-104 (1995)), adenoviral vectors (Bain et al., *Gene Therapy, 1*, S68 (1994)), bacteriaphages, baculovirus vectors (see, e.g., Luckow et al., *Bio/Technology, 6*, 47 (1988)), herpesvirus vectors (Fink et al., *Ann. Rev. Neurosci., 19*, 265-87 (1996)), packaged amplicons (Federoff et al., *Proc. Nat. Acad. Sci. USA, 89*, 1636-40 (1992)), papilloma virus vectors, picornavirus vectors, polyoma virus vectors, retroviral vectors, SV40 viral vectors, vaccinia virus vectors) or other vectors (e.g., a cosmid, a yeast artificial chromosome (YAC), etc.). Of course, the vector can (and typically does) contain elements in addition to the expression cassette that are appropriate to the type of vector (e.g., origins of replication, marker genes, genes conferring resistance to antibiotics, etc.). The insertion of the expression cassette can disrupt one or more of these elements, if desired, or the cassette can be inserted between genetic elements to minimize perturbation of the backbone vector.

Where the vector is a viral vector, preferably it is replication incompetent. Thus, for example, an adenoviral vector preferably has an inactivating mutation in at least the E1A region, and more preferably in region E1 (i.e., E1A and/or E1B) in combination with inactivating mutations in region E2 (i.e., E2A, E2B, or both E2A and E2B), and/or E4 (see, e.g., International Patent Application WO 95/34671). An AAV vector can be deficient in AAV genes encoding proteins associated with DNA or RNA synthesis or processing or steps of viral replication (e.g., capsid formation) (see U.S. Patents 4,797,368, 5,354,768, 5,474,935, 5,436,146, and 5,681,731). Where the vector is a retroviral vector, the cis-acting encapsidation sequence (E) essential for virus production in helper cells can be deleted upon reverse transcription in the host cell to prevent subsequent spread of the virus (see, e.g., U.S. Patent 5,714,353). Where the vector is a herpesvirus, inactivation of the ICP4 locus and/or the ICP27 cassette renders the virus replication incompetent in any cell not complementing the proteins (see, e.g., U.S. Patent 5,658,724, see also DeLuca et al., *J. Virol., 56*, 558-70 (1985); Samaniego et al., *J. Virol., 69*(9), 5705-15 (1996)).

To use the inventive recombinant expression cassette, it is introduced into a eukaryotic cell in a manner suitable for the cell to express the coding polynucleotide. A vector harboring the recombinant expression cassette is introduced into a eukaryotic cell by any method appropriate for the vector employed, which generally are well-known in the art. Thus, plasmids are transferred by methods such as calcium phosphate precipitation, electroporation, liposome-mediated transfection, microinjection, viral capsid-mediated transfer, polybrene-mediated transfer, protoplast fusion, etc. Viral vectors are best transferred into the cells by infecting them.

Depending on the type of vector, it can exist within the cell as a stable extrachromosomal element (which can even be heritable, see e.g., Gassmann, M. et al., *Proc. Natl. Acad. Sci. (USA), 92*, 1292 (1995)) or it can integrate into the host cell's chromosomes. Thus, the invention provides a chromosome including a recombinant expression cassette such as described above, as well as a cell including such a cassette (and such a chromosome). The α1-3 galactosyltransferase promoter of the expression cassette can be native to such a cell or chromosome, or it can be exogenous to the cell or chromosome. Where the promoter is native to the cell or chromosome, preferably the polynucleotide for expression within the cassette (the non-native polynucleotide) displaces the operable linkage between the native polynucleotide encoding α1-3 galactosyltransferase such that it is no longer operably linked to the native α1-3

galactosyltransferase promoter. Such displacement can be accomplished where the non-native polynucleotide is cloned between the promoter and the native polynucleotide (i.e., upstream of the native polynucleotide), especially where the non-native polynucleotide contains one or more transcriptional termination signals (preferably in all three putative reading frames). Of course, the non-native polynucleotide also can be introduced into the locus such that it destroys the native exon/intron boundaries and/or introduces inactivating mutations (e.g., deletions, insertions, frame-shifts, etc.) into the native coding sequence.

Preferably, the transgenic cell presents a suitable microenvironment for the coding polynucleotide within the expression cassette to be expressed. In many instances, the transgenic cells can be used to study the tissue specificity, dynamics, and kinetics of the promoter, for example by assaying for the expression of the polynucleotide within the cells. However, as the absence of activity is as useful as the presence of promoter activity in these contexts, any cell can be employed for such purposes; such a cell can be *in vivo* or *in vitro*. Preferably, the cell is derived from a species syngenic to the source of the promoter so that, by virtue of the properties of the α1-3 galactosyltransferase promoter present within the expression cassette, the polynucleotide within the cassette is expressed within such transgenic tissues, organs, or animals with the same kinetics and tissue specificity as the native α1-3 galactosyltransferase gene in wild-type animals. Where the cells are *in vivo*, they are typically cells of a mammal (e.g., human cells), and can be any type of cells. Suitable cells for use *in vitro* include yeast, protozoa (e.g., *T. cruzi* epimastigotes), cells derived from any mammalian species (e.g., VERO, CV-1, COS-1, COS-7, CHO-K1, 3T3, NIH/3T3, HeLa, C1271, BS-C-1 MRC-5, etc.), insect cells (e.g., *Drosophila* Snyder cells), or other such cells. In other applications, the cell can be employed to construct transgenic tissues, organs, or animals, as described below, in which case the cell typically is a spermatozoon, ovum, zygote, primordial germ cells, or embryonic stem cell.

In another embodiment, the invention provides a method of mutating a region of a chromosome comprising an α1-3 galactosyltransferase gene. In accordance with the inventive method, a recombinant mutating cassette comprising a region of homology to the α1-3 galactosyltransferase gene is recombined with a chromosome which has an α1-3 galactosyltransferase gene such that homologous recombination occurs between the cassette and the chromosome. As a result of the homologous recombination, a mutation is introduced into the native α1-3 galactosyltransferase chromosomal gene sequence.

Thus, the final step of the method involves screening for successful recombination.

The inventive method employs a recombinant mutating cassette including at least a first region of homology to an α1-3 galactosyltransferase genomic sequence, and the invention provides such a cassette. Within such a cassette, this first region of homology is adjacent to either to at least one polynucleotide for insertion or to a second region of homology. The mutating cassette is "recombinant" in that neither the second region of homology nor the polynucleotide for insertion is adjacent to the first α1-3 galactosyltransferase genomic sequence in its native state (i.e., within a chromosome).

The insertion cassette can include more than one polynucleotide for insertion and/or more than one region of homology to all or a portion of the α1-3 galactosyltransferase genomic sequence. Indeed, where the cassette includes a region for insertion, preferably it has at least two regions of homology flanking the region for insertion. Where more than one region of homology is present, whether adjacent to each other or flanking a region for insertion, the cassette can be used to replace any span of the target chromosomal genomic sequence that lies between the two homologous chromosomal regions. Where multiple regions of homology are present, they should generally be arrayed in the same 5' to 3' orientation relative to one another.

A region of homology can be homologous to any portion of the genomic sequence of an α1-3 galactosyltransferase gene or the antisense strand thereof. The region can be homologous to the gene of any desired species, such as those discussed above, and it can be homologous to an intron, an exon, a promoter sequence, or any other desired sequence from the genomic DNA. To this end, regions of homology can be selected from the promoter sequences disclosed in SEQ ID NOs:1-6. Alternatively (or additionally) a region of homology can be selected from a portion of the genomic sequence from an α1-3 galactosyltransferase homologue. In this light, some of the murine sequences have been published (see, e.g., Joziasse et al., *J. Biol. Chem., 267*, 5534-41 (1992)), and additional portions are set forth as SEQ ID NOs: 17-25. Portions of the porcine genomic sequence are disclosed herein as SEQ ID NOs: 7-16. Portions of the human α1,3 galactosyltransferase pseudogene genomic sequences are set forth at SEQ ID NOs: 35-42, and various (untranslated) human cDNA transcripts are set forth as SEQ ID NOs: 27-34, and those from Rhesus monkeys are set forth at SEQ ID NOs: 43-44. These sequences disclosed herein, as well as the published murine sequences, include the intron/exon boundaries from which one of skill in

the art can isolate additional intronic genomic sequences by techniques such as genome walking, 5' RACE, 3' RACE, etc.

A region of homology to the genomic sequence of an α1-3 galactosyltransferase gene need not be an exact complement to the genomic sequence; however, the region must be sufficiently homologous to the α1-3 galactosyltransferase gene to permit homologous recombination between the cassette and the genomic DNA *in vivo*. Indeed, in some embodiments (e.g., for introducing point mutations into the genomic sequence), a region of homology preferably contains some mismatched bases. Thus, typically, the region of homology will bear at least about 75 % homology to a portion of the α1-3 galactosyltransferase gene or its antisense strand (such as at least about 85 % homology to a portion of the α1-3 galactosyltransferase gene or its antisense strand), and more typically the region of homology will bear at least about 90 % homology to a portion of the α1-3 galactosyltransferase gene or its antisense strand (such as at least about 95 % or even at least about 97 % homology to a portion of the α1-3 galactosyltransferase gene or its antisense strand). Any commonly employed method (e.g., BLAST database searching) for calculating percent homology can be used to select a suitable region of homology. Similarly, while the length of the region of homology is not critical, it should be sufficiently long to facilitate homologous recombination between the cassette and the genomic DNA *in vivo*. Thus, typically the region of homology will be at least about 50 nucleotides long (such as at least about 75 or 100 bases long), and more typically it will be at least several hundred bases long (such as at least about 250, 500, or even 750 bases long). Indeed, in many applications, the region of homology preferably is several thousand bases long to maximize the likelihood of homologous recombination *in vivo*. The ideal length of a region of homology depends in part on the number of such regions within the cassette – where one or few regions of homology are present, they should be longer to facilitate recombination between the cassette and the genomic DNA; conversely, where the cassette contains several regions of homology, they can be shorter without reducing the likelihood of recombination events.

Where present within the cassette, a region for insertion can be or comprise any DNA which is desired to be introduced into the genomic sequence of an α1-3 galactosyltransferase gene. Thus, the region can comprise genetic regulatory elements (e.g., enhancers, promoters, repressors, etc., the sequences of which are known) or consensus binding sites for DNA-binding proteins (e.g., restriction endonucleases, transcription factors, etc.). In many applications, a region for

insertion can comprise a polynucleotide for expression, such as those set forth above, or even expression cassettes. A preferred polynucleotide for insertion is an expression cassette for expressing a positive marker flanked by FRT sites, thus facilitating the identification of chromosomes into which the polynucleotide for insertion has integrated as well as excision of the cassette.

The mutating cassette can be constructed by any desirable molecular techniques, and typically, the mutating cassette will be engineered within a vector, such as those set forth above. Typically, the vector is a gene transfer vector suitable for introducing the cassette into a host cell. In addition to the region(s) of homology and the polynucleotide for insertion elements, the mutating cassette can have other components, such as, for example, an expression cassette, a region of homology to other genes or chromosomal regions, a polyadenylation sequence, etc., and it is preferred that the insertion cassette comprises a cassette for expressing at least one marker gene (which may be or comprise the polynucleotide for insertion). Such a marker can be either positive (conferring a visible phenotype to the cells) or negative (killing cells or rendering non-recombinant cells growth-impaired), and both can be used in conjunction. Examples of such positive and negative selection markers are the neosporin resistance (neo^R) gene, the hydromycin resistance (hyg^R) gene, and a thymidine kinase gene (e.g., HSV tk); other suitable markers are known in the art (see, e.g., Mansour et al., *Nature, 336*, 348-52 (1988); McCarrick et al., *Transgen. Res., 2*, 183-90 (1993)). A marker gene sequence can be bordered at both ends by FRT DNA elements, and/or with stop codons for each of the three putative reading frames being inserted 3' to the desired DNA sequence. Presence of the FRT elements permits the marker to be deleted from the targeted chromosome, and the stop codons ensure that the α1,3 galactosyltransferase gene remains inactivated following deletion of the selectable marker, if inactivation is the desired result of the use of the mutating cassette. The relative orientations of the positive and negative selectable markers are not critical. However, where a positive marker is employed, it should be located between regions of homology, while any negative marker should be outside the regions of homology, either 5' or 3' to those regions.

In accordance with the inventive method, homologous recombination occurs between the α1-3 galactosyltransferase genomic chromosomal DNA and the region (or regions) of homology in the mutating cassette. Where more than one region of homology is present in the cassette, any portion of the genome lying between the homologous target sequences is replaced by whatever sequence lies between the regions of homology in the cassette. Thus, where the mutating

cassette contains a region for insertion flanked by two regions of homology, it will be introduced into the genomic sequence adjacent to the sites of homology, replacing that portion of the genomic sequence. Of course, where the two flanking regions of homology are normally adjacent to each other in the chromosomal sequence, the region for insertion is introduced into the chromosome without replacing any native sequence. Similarly, where no region for insertion is present within the cassette, that portion of the chromosome lying between the two regions of homology in the cassette is deleted as a result of the recombination events. Where the cassette contains a region of homology that differs slightly from the homologous sequence within the genome, it can be employed to introduce point mutations into the genomic sequence.

While the recombination event can occur *in vitro*, typically such homologous recombination occurs within a host cell between an exogenous vector containing the cassette and a chromosome within the host cell containing an α1-3 galactosyltransferase genomic sequence. Thus, the present invention provides a cell harboring a mutating cassette, as described above. The vector can be introduced into the host cell by any appropriate method, such as set forth above. Commonly, however, the vector is introduced into small cells (e.g., embryonic stem cells) by electroportation and into large cells (e.g., ova or zygotes) by microinjection. Where microinjection is employed, the vector preferably is injected directly into a nucleus or pronucleus of the cell.

The last step in the method is to screen for successful recombination events. Any assay to detect such events can be employed in the context of the inventive method. In accordance with one such assay, chromosomal DNA is screened by PCR or Southern hybridization. For example, where the mutating cassette is designed to delete a portion of the α1-3 galactosyltransferase genomic sequence, the absence of signal using a probe or primer directed against the region to be deleted indicates a positive recombination event. Conversely, where the cassette includes a region for insertion, a positive result using a probe or primer directed against the region for insertion is indicative of a positive recombination event. Of course, the chromosomal DNA can be sequenced to confirm the correct insertion/deletion/replacement. Where recombination is directed within cells, the events can be screened by assaying for any markers present in the mutating cassette.

By employing the inventive method, one of skill in the art can use the inventive mutating cassette to introduce targeted deletions, insertions, or replacement mutations into any predefined site within the α1-3

galactosyltransferase genomic sequence. Any desired amount or portion of the gene can be thus deleted, which can lead to complete inactivation of the gene. For introducing inactivating mutations into the gene, preferably at least one region of homology is selected to recombine with the promoter (to inactivate it) or exons 4-9, which contain the coding sequences. Similarly, the inventive method can introduce functional expression cassettes in place of the α1-3 galactosyltransferase gene, which can be under the control of the native α1-3 galactosyltransferase promoter or an exogenous promoter within the cassette (especially where the native α1-3 galactosyltransferase promoter is destroyed). Thus, the present invention provides a recombinant chromosome containing such a mutation, and a recombinant cell comprising such a chromosome.

As mentioned above, the invention provides recombinant cells and chromosomes comprising a recombinant expression cassette comprising an α1-3 galactosyltransferase promoter or a mutating cassette, as described above. Indeed, as a result of using these reagents and methods, the invention also provides a cell having a mutant α1-3 galactosyltransferase genomic sequence, as described above. While any cell having such exogenous genetic sequences is within the scope of the invention, preferably the cells are suitable for constructing a recombinant animal, and are most preferably totipotent cells. Thus, preferred cells are embryonic stem (ES) cells, ova, primordial germ cells (PGCs), and zygotes. ES cells and PGCs are especially preferred because such cells can be obtained and cultured in relatively large numbers relative to ova and zygotes. Using such cells, a transgenic animal having an expression cassette comprising an α1-3 galactosyltransferase promoter or a disruption in this gene can be constructed by methods known in the art (see e.g., U.S. Patents 5,850,004 (MacMicking et al.), 5,942,435 (Wheeler), 5,523,226 (Wheeler), and 5,175,383; White et al., *Transplant. Int., 5*, 648-50 (1992); McCurry et al., *Nat. Med., 1*, 423-427 (1995); Hoganet al., *Manipulating the Mouse Embryo*, Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y. (1986); Hammeret al., *Nature, 315*, 680 (1985); Murrayet al., *Reprod. Fert. Devl., 1*, 147, (1989); Purselet al., *Vet. Immunol. Histopath., 17*, 303 (1987); Rexroadet al., *J. Reprod. Fert., 41*, (suppl.), 119 (1990); Rexroadet al., *Molec. Reprod. Devl., 1*, 164 (1989); Simonset al., *BioTechnology, 6*, 179 (1988); Vizeet al., *J. Cell. Sci., 90*, 295 (1988); Wagner, J. *Cell. Biochem., 13B* (suppl.), 164 (1989); Thomas et al., *Cell, 51*, 503 (1987); Capecchi, *Science, 244*, 1288 (1989); Joyner et al., *Nature, 338*, 153 (1989); Ausubelet al., *Cur. Prot. Mol. Biol.*, John Wiley & Sons (1987)).

Where ova and zygotes are employed, after the introduction of the cassette, they can be implanted into surrogate mothers to develop into adult animals. Where ES cells or PGCs are employed, after the introduction of the cassette, they typically are further manipulated (e.g., by injection into a blastocyst or morula, co-culture with a zona pellucida-disrupted morula, fusion with an enucleated zygote, etc.) such that their mitotic descendants are found in a developing embryo. Such an embryo typically is a chimera composed of normal embryonic cells as well as mitotic descendants of the introduced ES cells or PGCs. Alternatively, the genome of an ES cell or PGC can be incorporated into an embryo by fusing the ES cell/PGC with an enucleated zygote to create a non-chimeric embryo in which all nuclei are mitotic descendants of the fused ES cell/PGC nucleus. In any event, to produce a transgenic animal, the embryo or zygote is implanted into a pseudopregnant animal, which, after suitable gestation, gives birth to an animal containing the mutant chromosome containing the cassette in its germ line (if a chimera) or possibly all of its cells. Of course, as mentioned above, where the animal is engineered to include a non-mutating expression cassette, it can be inherited as an extrachromosomal plasmid (Gassmann, M. et al., *supra*)). However constructed, the presence of the recombinant allele can be confirmed by performing Northern hybridization or rt-PCR on RNA isolated from the animal in question.

After birth and sexual maturation, a chimeric animal can be mated to generate a heterozygous animal comprising a disrupted α1-3 galactosyltransferase gene or recombinant expression cassette (integrated or extrachromosomal) including a α1-3 galactosyltransferase promoter. Heterozygotes can be crossed to produced a homozygous strain. Such animals having a recombinant expression cassette including an α1-3 galactosyltransferase promoter, as discussed above, will express the polynucleotide for expression of such cassette within the same tissue types and with the same kinetics as a wild-type animal of the same species and strain expresses the α1-3 galactosyltransferase gene. Of course, homozygous transgenic animals of the present invention having a disruption in the α1-3 galactosyltransferase gene will produce altered forms of the protein or no functional protein at all. Desirably, the phenotype of such "knock out" animals relative to an animal having a wild type α1-3 galactosyltransferase gene is a markedly increased time of survival of cells isolated or derived from the transgenic animal in the presence of human serum, which can be assessed by any desired method (see, e.g., Osman et al., *Proc. Nat. Acad. Sci. (USA), 94*, 14677-82 (1997)).

The inventive transgenic animals are useful for any use to which animals can be put, and they can be any desired species (e.g., pigs, cows, mice, cats, dogs, etc.). Transgenic mice in which a reporter gene is operably linked to the α1-3 galactosyltransferase promoter are valuable reagents for assessing the activity and specificity of the promoter. Transgenic livestock (e.g., pigs, cows, goats, and the like) having an inventive expression cassette in which a growth hormone is expressed under the control of the α1-3 galactosyltransferase promoter can be matured or bulked better than commonly employed strains. Tissue obtained from a transgenic animal according to the present invention can be implanted into a host according to standard surgical methods, and the invention concerns a method of xenotransplantation from a transgenic animal as described herein. The invention also provides a transgenic organ consisting essentially of transgenic cells engineered as described above (e.g., a lung, a heart, a liver, a pancreas, a stomach, an intestine, a kidney, a cornea, skin, etc.), particularly for use in the method of transplantation. The host can be any animal host, such as a pig, a dog, a cat, a cow, a goat, etc. Of course, the recipient can be a human as well, in which case the source animal preferably is a pig.

Transgenic animals lacking a functional α1-3 galactosyltransferase gene are attractive sources of organs and tissues for xenotransplantation into primates, especially humans, because the tissues of such animals lack the highly antigenic gal-α-gal epitope. Similarly, transgenic pigs having a recombinant expression cassette in which a coding sequence for Type I fucosyltransferase, a Type II fucosyltransferase (especially α(1,2) fucosyltransferase), an α 2-3 sialyltransferase, or an α 2-6 sialyltransferase is operably linked to the α1-3 galactosyltransferase promoter also are suitable sources of xenotransplantation tissues, as the these encoded enzymes compete for the same substrate as α1-3 galactosyltransferase, and their presence can reduce (preferably below an antigenic threshold) the gal-α-gal antigens in tissues derived from such animals. Indeed, α(1,2) fucosyltransferase converts this substrate into the universally-tolerated H antigen (i.e., the "O" blood-type antigen) and also blocks the addition of the α1,3 gal moiety. As such, a gene encoding α(1,2) fucosyltransferase is an especially preferred polynucleotide for expression to be included within the inventive recombinant expression cassette. A preferred source animal for xenotransplantation tissues (and by extension the tissues themselves) preferably contains a disruption in the α1-3 galactosyltransferase gene as well as having a recombinant expression cassette in which a coding sequence for Type I fucosyltransferase, a Type II fucosyltransferase (especially α(1,2)

fucosyltransferase), an α 2-3 sialyltransferase, or an α 2-6 sialyltransferase is operably linked to the α1-3 galactosyltransferase promoter. More preferably, the animal contains a disruption in the native promoter of α1-3 galactosyltransferase and an α(1,2) fucosyltransferase coding sequence under the control of its own promoter. Most preferably, the source animal also expresses exogenous human complement regulatory proteins, as discussed above, to further minimize host resistance of the xenograft tissue.

It will be apparent that a transgenic animal created in accordance with the invention can have the exogenous gene cloned in place of the native α1,3 galactosyltransferase gene (i.e., a "knock-in" approach). Indeed, in many embedment such a "knock-in' approach is preferable, for example to avoid the potential of the development of congenital cataracts in purely "knock-out" animals (e.g., as a result of opportunistic infections of microbes bearing the gal-α-gal motif). Indeed, such an approach can afford a safe alternative to broadband antibiotics in livestock and pets, a current public health concern. In this respect, the invention can be employed to create heartier and healthier livestock and pets.

While one of skill in the art is fully able to practice the instant invention upon reading the foregoing detailed descriptions, in conjunction with the drawing and the sequence listing, the following examples will help elucidate some of its features. In particular, these examples indicate how the genomic structure of the porcine α1-3 galactosyltransferase gene is elucidated, and how the identity and activity of the α1-3 Galactosyltransferase promoter is assessed. As these examples are presented for purely illustrative purposes, they should not be used to construe the scope of the invention in a limited manner, but rather should be seen as expanding upon the foregoing description of the invention as a whole.

Many experiments described in these examples employed well known techniques and reagents (see, e.g., Sambrook et al., *Molecular Cloning: A Laboratory Manual*, 2d edition, Cold Spring Harbor Press (1989)). Accordingly, in the interest of brevity, the examples to not present the experimental protocols in detail. In the experiments, enzymatic isolation and culture of porcine aortic endothelial cells (PAEC) was performed. PAEC were maintained in Dulbecco's modified essential medium (DMEM) supplemented with 10% fetal bovine serum (FBS), 10,000 units of Heparin (ELKINS-SINN, Inc., Cherry Hill, NJ), 15 mg of endothelium growth supplement (Collaborative Biomedical Product Inc., Bedford, MA), L-glutamine, and penicilin-streptmycin. RNA was obtained from the organs of pigs (Brain, Heart, Spleen, Gut, and Thymus) and PAEC using Trizol reagent

(Gibco Ltd.,). Primers used to clone and identify regions of the porcine, murine, human, and Rhesus monkey genes are set forth at SEQ ID NOs: 45-96.

Example 1

This example describes the identification of the 5' untranslated region and genomic structure of the porcine α1-3 galactosyltransferase gene.

A comparison of published sequences for the α1-3 galactosyltransferase cDNA (Hoopes et al., *supra*, Katayama et al., *supra*; Sandrin et al., *supra*; and Strahan et al., *supra*) revealed a divergence in the 5' boundary. Some of these cDNA contain putative 5' untranslated sequences that bear a high (> 70 %) homology to murine sequences identified as the second exon, and it was hypothesized that this region is conserved as an exon in the porcine genome as well.

Further 5' sequence was cloned using 5' RACE, and the putative transcription initiation site was probed by S1 protection assay, using standard protocols. Briefly, a plasmid containing the upstream genomic sequence was digested with restriction enzyme, Pml I, and linearized. The DNA was phosphorylated with shrimp alkaline phosphotase, heated to inactivate the enzyme, and then precipitated with ethanol. The linearized plasmid was digested again with Bgl II to yield a probe fragment, which was then end-labeled with γ-^{32}P-ATP.

The probe was purified using G-25 sephadex, and about 16 µl was mixed with 20 µg of total RNA from pig aortic endothelial cells (PAEC), pig brain, and yeast (control), and the aliquots were coprecipitated using NH_4OAc and ethanol. Pellets were resuspended in a standard hybridyzation buffer, heated to 95 °C for 3-4 minutes, and then incubated at 42 °C overnight.

After incubation, the yeast sample was split into two aliquots, and to each was added a standard S1 nuclease buffer. S1 nuclease was added to one aliquot, while the other did not receive the enzyme. The PAEC and brain samples each received the enzyme and the buffer. All samples were incubated for 30 minutes at 37 °C, after which the reactions were stopped by the addition of a standard S1 inactivation buffer. Following the reaction, the samples were then precipitated, resuspended in 5 µl of a standard gel loading buffer, and resolved using a 6% denaturing polyacrylamide gel.

The data revealed at least 8 separate alternatively spliced transcripts from PAEC, and additional splicing patterns from brain transcripts. Analysis of these sequences revealed three potential upstream exons (1, 1A, and 2), the boundaries of which comply with the AG-GT consensus, and six coding exons (4-9) also were

identified, which agreed with published results. Interestingly, the pig sequence seemingly lacks upstream exon 3 of the mouse 5' untranslated region. The overall organization of the pig genome is depicted in Figure 1. Alternatively spliced forms isolated from PAED are indicated in Figures 1B though 1I. Exon 1A is observed in transcripts isolated from brain tissue.

As mentioned, the transcripts obtained from PAEC and brain revealed several alternative splicing patterns. Using the genomic clone, intronic sequences were identified by "gene walking" using the method and reagents supplied with the UNIVERSAL GENEOMEWALKER™ KIT (Clontech Labs., Inc.). Primers (Seq ID NOs:41-56) were designed to hybridize with the cDNA, and also to the adapter sequence supplied with the Clonetech kit. A series of nested PCR reactions was then performed to clone SEQ ID NOs:7-16, which were sequenced. From these results, the intron/exon boundaries were elucidated.

Summing the nucleotides of all identified exons predicts a transcript of about 3.8 kb. This prediction was assessed by Northern analysis. 20 μg of total RNA from PAEC, and pig brain, heart, spleen, gut, and thymus, were respectively separated on formamide agarose gels, and electrotransferred onto nylon membrane. The blots were hybridized with radiolabeled probes ($2.5\text{-}4.0 \times 10^4$ cpm/ml) specific for pig GT exon 1 and exon 9 identified. The blots were exposed to Bio-MAX films (Eastman Kodak Co., Rochester, NY) for 6 days with intensifying screen. The results revealed primary transcripts of between 3.5-3.8 kb, in accordance with the predicted size and the published size for the bovine transcript.

Example 2

This example describes the identification of the 5' untranslated region and organization of the murine α1-3 galactosyltransferase gene.

To identify the 5' and 3' ends of α1,3GT gene transcripts, 5'- and 3'-RACE procedures were performed using the Marathon cDNA Amplification Kit (Clontech) with the spleen poly A^+ RNA of Balb/C adult male as template. To identify exon-intron boundaries or 5'- and 3'-flanking region of the transcripts, Murine GenomeWalker libraries were constructed using the Universal GenomeWalker Library Kit (Clontech) with Balb/C genomic DNA.

The results of these experiments revealed several genomic sequences, which are set forth at SEQ ID NOs: 17-25. The deduced 5' untranslated nucleotide sequences are longer by 56 bp than previously reported (Joziasse et al., *J. Biol. Chem., 267*, 5534-41 (1992). The relative intensity of Luciferase activity

by the pGL3/1280 construct was 15-fold higher than that of pGL3-Basic. The 3'-RACE revealed an extended 3'-UTR sequence 30 bp more than previously reported (*Id.*), but no other 3' UTR exon usage. The overall length of the transcript was 2586 bp, 89 bp longer than previously reported (*Id.*).

An overall comparison of 5'-UTR of cDNA sequences of the porcine (747 bp) and murine (492 bp) α1,3GT gene indicates that the homology is observed only in the region of exon 2 (71.7%). Exon 3 observed in mice is not observed in the pig. Murine exon 1 shows no homology with porcine exon 1.

Example 3

This example describes the identification of the organization of the human and Rhesus monkey α1-3 galactosyltransferase untranslated pseudogene.

Working from published partial sequence of the human α 1,3 GT ninth exon, primers were designed to identify the start and end of the gene by 5'-RACE, 3'RACE and rtPCR, as described above. Several alternate transcripts were identified, and these are set forth as SEQ ID NOs:27-34. The sequences were compared to those of other species employing a formula based on the consensus motif of the splicing acceptor junction: total number of pyramidines plus 1 (for a branched A) among forty nucleotides per junction. Intron exon boundaries were confirmed as discussed above (see SEQ ID NOs: 35-42). The organization of the alternative splicing patterns observed is indicated in Figure 3.

Using similar techniques, primers were designed based on a partial published sequence (Genbank Accession No. M73306) having homology to exon 9. Initially, 3'RACE showed only poly-A tails, evidence that transcripts exist. 5'-RACE results revealed sequences of high homology to those α1,3 sequences previously identified (e.g., porcine, bovine and murine), consistent with the identity of the sequence as the Rhesus pseudogene. The sequence of the Rhesus monkey transcripts are ser forth at SEQ ID NOs: 43 and 44.

Example 4

This example describes the identification of the porcine, murine, and bovine α1-3 galactosyltransferase promoters.

Using PCR and restriction digestions, various sized fragments between nucleotides 1981 and 2992 of SEQ ID NO:7 (porcine) and between nucleotides 375 and 1325 (murine) were generated. The fragments were cloned into a plasmid such that they were operably linked to a luciferase coding sequence. PAEC were then transfected with these constructs and probed for luciferase activity, along

with a positive and a negative (no promoter) control. All fragments exhibited significantly greater promoter activity over the negative control (between about 15% and 90 % relative light units, as compared to the positive control, the negative control exhibiting no luciferase activity). These results indicate that the regions are promoters and that the 5'-RACE results discussed in Examples 1 and 2 most likely represent the potential transcription initiation site (TIS). Moreover, sequence analysis of these regions reveals the presence of at least 8 SP1 or GC boxes within it and potentially seven AP-2 consensus binding motifs see also Figure 2). This suggests that the gene may contain alternative start sites, and that sequences within exon 1 may also contain promoter activity. Other sequences from which α 1,3 GT promoters can be derived are set forth as SEQ ID NOs:1-6.

All of the references cited herein, including patents, patent applications, and publications, are hereby incorporated in their entireties by reference.

While this invention has been described with an emphasis upon preferred embodiments and illustrative examples, it will be obvious to those of ordinary skill in the art that variations of the preferred embodiments may be used and that it is intended that the invention may be practiced otherwise than as specifically described herein. Accordingly, this invention includes all modifications encompassed within the spirit and scope of the invention as defined by the following claims.

WHAT IS CLAIMED IS:

1. A recombinant expression cassette comprising an α1-3 galactosyltransferase promoter operably linked to a polynucleotide for expression, other than a polynucleotide encoding α1-3 galactosyltransferase.

2. The recombinant expression cassette of claim 1, wherein said promoter is derived from the bovine, porcine, or murine α1-3 galactosyltransferase genes.

3. The recombinant expression cassette of claim 1 or 2, wherein said promoter comprises any of SEQ ID Nos:1-6.

4. The recombinant expression cassette of any of claims 1-3, wherein said promoter comprises an active derivative of any of SEQ ID Nos:1-6.

5. The recombinant expression cassette of any of claims 1-4, wherein said polynucleotide for expression encodes an antisense RNA molecule or a ribozyme.

6. The recombinant expression cassette of any of claims 1-5, wherein said polynucleotide for expression encodes a protein.

7. The recombinant expression cassette of claim 6, wherein said protein is a fucosyltransferase, a galactosyltransferase, a β-acetylgalactosaminyltransferase, an N-acetylglycosaminyltransferase, an N-acetylglucosaminyltransferase, a sialyltransferase, or a sulfotransferase.

8. The recombinant expression cassette of claim 6, wherein said protein is a Type I fucosyltransferase, a Type II fucosyltransferase, an α 2-3 sialyltransferase, or an α 2-6 sialyltransferase.

9. The recombinant expression cassette of any of claims 6-8, wherein said polynucleotide for expression is heterogenic to said promoter.

10. The recombinant expression cassette of claim 9, wherein said polynucleotide for expression is human and wherein said promoter is porcine.

11. The recombinant expression cassette of any of claims 6-8, wherein said polynucleotide for expression is a cDNA.

12. The recombinant expression cassette of any of claims 6-8, wherein said polynucleotide for expression is genomic DNA.

13. A recombinant mutating cassette comprising a first region of homology to an α1-3 galactosyltransferase genomic sequence adjacent to either a second region of homology to said α1-3 galactosyltransferase genomic sequence or a polynucleotide for insertion.

14. The recombinant mutating cassette of claim 13, comprising first and second regions of homology to an α1-3 galactosyltransferase genomic sequence flanking a polynucleotide for insertion.

15. The recombinant mutating cassette of claim 13 or 14, wherein a region of homology is homologous to an exon, an intron, or a promoter of said α1-3 galactosyltransferase genomic sequence.

16. The recombinant mutating cassette of any of claims 13-15, wherein a region of homology is homologous to all or a portion of any one of SEQ ID NOs: 1-42.

17. The recombinant mutating cassette of any of claims 13-16, wherein said polynucleotide for insertion comprises an expression cassette.

18. The recombinant mutating cassette of claim 17, wherein said expression cassette encodes a marker.

19. A vector comprising the recombinant cassette of any of claims 1-18.

20. The vector of claim 19, which is an oligonucleotide, a plasmid, a cosmid, or a virus.

21. A transgenic cell harboring the vector of claim 19 or 20.

22. A chromosome comprising the recombinant expression cassette of any of claims 1-18.

23. A transgenic cell harboring the chromosome of claim 22.

24. The transgenic cell of claim 23, wherein said α1-3 galactosyltransferase promoter is native to said cell.

25. The transgenic cell of claim 23 or 24, wherein said polynucleotide for expression displaces a native polynucleotide encoding α1-3 galactosyltransferase.

26. The transgenic cell of claim 23 or 24, wherein said polynucleotide for expression is cloned between said promoter and a native polynucleotide encoding α1-3 galactosyltransferase.

27. The transgenic cell of claim 26, wherein said polynucleotide for expression comprises a stop codon.

28. The transgenic cell of any of claims 21, or 23-27, which is an embryonic stem cell, an ovum, a primordial germ cell, a spermatozoon, or a zygote.

29. The transgenic cell of any of claims 21, or 23-27, which expresses said polynucleotide for expression.

30. The cell of claim 29, wherein said polynucleotide for expression encodes a Type I fucosyltransferase, a Type II fucosyltransferase, an α 2-3 sialyltransferase, or an α 2-6 sialyltransferase, and wherein said cell produces said protein.

31. The transgenic cell of any of claims 21 or 23-30, wherein said cell produces a heterogenic complement regulatory protein (CRP).

32. The transgenic cell of claim 31, wherein said CRP is human and wherein said cell is nonhuman.

33. An embryo consisting essentially of transgenic cells according to any of claims 21 or 23-32.

34. An organ consisting essentially of transgenic cells according to any of claims 21 or 23-32.

35. The organ of claim 34, which is a lung, a heart, a liver, a pancreas, a stomach, an intestine, a kidney, or skin.

36. A transgenic animal consisting essentially of transgenic cells according to any of claims 21 or 23-32.

37. The transgenic animal of claim 30, which is a cattle, a mouse, a pig, a cat or a dog.

38. A transgenic knockout animal comprising a homozygous disruption in an endogenous α1-3 galactosyltransferase gene, wherein said disruption prevents the expression of a functional α1-3 galactosyltransferase protein.

39. The transgenic knockout animal of claim 38, wherein cells isolated from said knockout animal exhibit an increased time of survival in the presence of human serum relative to comparable cells isolated from an animal having a wild type α1-3 galactosyltransferase gene.

40. The transgenic knockout animal of claim 38 or 39, wherein the insertion replaces DNA at the start of the coding region of said α1-3 galactosyltransferase protein.

41. The transgenic knockout animal of claim 38 or 39, wherein the insertion replaces the promoter of said wild type α1-3 galactosyltransferase gene.

42. The transgenic knockout animal of any of claims 38-41, which produces at least one human protein selected from the group of proteins consisting of α1-3 galactosyltransferase, α(1,2) fucosyltransferase, and complement regulatory proteins.

43. The transgenic knockout animal of any of claim 38-42, which is a pig.


1A
1
554
1A
83
2
112
462bp
15kb
4
89
6.5kb
5
36
2.5kb
6
63
0.7kb
7
105
7kb
8
137
5.5kb
9
2686
1B
1
554
4
89
6
63
7
105
8
137
9
2686
1C
1
554
4
89
6
63
7
105
8
137
9
2686
1D
1
554
4
89
7
105
8
137
9
2686
1E
1
554
4
89
8
137
9
2686


1
554
2
112
4
89
5
36
6
63
7
105
8
137
9
2686
1F
1G
1H
1I


HNF3B
Oct-1
NFAT
Oct-1
Oct-1
GATA-box
+554
+541
SP1/GC-box
(1)
SP1/GC-box
NFAT
Xk
Xg
NF1
SP1/GC-box
(2)
+451
Xh
GATA-box
NFAT
GC-box
SP1/GC-box
+361
NFkB
HNF3B
+271
AP2
SP1/GC-box
AP2
AP2
+181
SP1/GC-box
SP1
SP1
AP2
NFkB
+91
AP2
AP2
SP1/GC-box
+1
AP2
NFkB
AP2

FIG. 2


Schematic genomic organization of human α1, 3GT gene
pA
9
8
8H
8b/427 bp
8H/807 bp
8a/187 bp
7
6
5
4
2
1
Pattern A
Pattern B
Pattern C

FIG. 3

SEQUENCE LISTING

<110> University of Pittsburgh of the Commonwealth System of Higher Education
Koike, Chihiro

<120> alpha 1,3-galactosyltransferase gene and promoter

<130> 206780

<150> US 60/227,951
<151> 2000-09-25

<150> US 60/161,092
<151> 1999-10-22

<160> 96

<170> PatentIn version 3.0

<210> 1
<211> 1117
<212> DNA
<213> Sus scrofa

<400> 1
agatctctgt tcttttcaaa tcaggatgaa acagttaaaa ttatacatca cactcaggtt 60

ctgtgccatt ttcatgtcac aattccaatg ccttaaaata tttaagaaac taatttctta 120

gtctctgaag tcccgtggtg aatgatcctg gcaaaagcaa gttctgaatt ttgcagcagt 180

aaaatagatg gtccgggacc ccaaggagtc ttgtaaaggc tgagtgaggg cagccggatg 240

tgcctacacc agctcatcag aagtgaactg ttgtcacact gggcactaaa gcaccaactc 300

tgaaatataa tttttgatta tgttccctcc taaaataact aaagcacaaa ctctgaaata 360

taattttcgt ttacgttctc tccctctact aatattccag cagagaacag agcccgcgcc 420

aggtgtccag tacccagccc ctcatatccg aagctcagga cttgggggtt tcgggagaga 480

gcggctccag cgcgtcgggt tgtagctact gcatctgtgc tcttccttcc ccaggaaaca 540

aatggtggat cggacctccc aggctcttcg cgccccgcca cccctccccg tgttagcagg 600

gcgcagggct ccggggcccc tccctgcagt actgggtgat agaccccact ccaccctccg 660

ggtccctcca cccccaccac gtgcaggcca gagaaggcaa agaggcccag ccaccctcac 720

cagggaattt cttttctttt tttgctggtt tcaggctttt ttctgcctga gtgaaaatga 780

aacaaacacc ccctgcgcct cccggccacc agacacacac gcgcaccggc actcgcgcac 840

tcgcgccctc ggcctcctag cggccgtgtc tggggcggga cccgctctgc acaaacagcc 900

gcgggccggg tggagcgggg agctcgccgc ccgccgccca gtgcccgccg gcttcctcgc 960

gcccctgccc gccaccccgg aggagcacac agcggccggc gggccggagc gcaggcggca 1020

caccccgccc cggcacgccc tgccgagctc aggagcacgc cgcgcgccac tgttccctca 1080

gccgaggacg ccgccggggg gccgggagcc gaggtgt 1117

<210> 2
<211> 900
<212> DNA
<213> Sus scrofa

<400> 2
ttgtcacact gggcactaaa gcaccaactc tgaaatataa tttttgatta tgttccctcc 60

taaaataact aaagcacaaa ctctgaaata taattttcgt ttacgttctc tccctctact 120

aatattccag cagagaacag agcccgcgcc aggtgtccag tacccagccc ctcatatccg 180

aagctcagga cttgggggtt tcgggagaga gcggctccag cgcgtcgggt tgtagctact 240

gcatctgtgc tcttccttcc ccaggaaaca aatggtggat cggacctccc aggctcttcg 300

cgccccgcca cccctccccg tgttagcagg gcgcagggct ccggggcccc tccctgcagt 360

actgggtgat agaccccact ccaccctccg ggtccctcca cccccaccac gtgcaggcca 420

gagaaggcaa agaggcccag ccaccctcac cagggaattt cttttctttt tttgctggtt 480

tcaggctttt ttctgcctga gtgaaaatga aacaaacacc ccctgcgcct cccggccacc 540

agacacacac gcgcaccggc actcgcgcac tcgcgccctc ggcctcctag cggccgtgtc 600

tggggcggga cccgctctgc acaaacagcc gcgggccggg tggagcgggg agctcgccgc 660

ccgccgccca gtgcccgccg gcttcctcgc gcccctgccc gccaccccgg aggagcacac 720

agcggccggc gggccggagc gcaggcggca caccccgccc cggcacgccc tgccgagctc 780

aggagcacgc cgcgcgccac tgttccctca gccgaggacg ccgccggggg gccgggagcc 840

gaggtgtggg ccatccccga gcgcacccag cttctgccga tcaggtgggt cccgctgggc 900

<210> 3
<211> 1938
<212> DNA
<213> Sus scrofa

<400> 3
gaggaagggc aacatcagac ccaatggttc ctagtcagat ttgttaacca ctgagcctcg 60

atgggaactc ctgggtgctt gcttcttgaa aggaccagtt tatcttagcc cagttcctga 120

gcctccaaat gctgtgaact ttccctccca gttgaccaca gtccagctgc ctgcatcatt 180

taatgtgaaa gatcttccct gagtccgtac ttaggtgctc tgtggtgctt ggtattgggg 240

cgttgaaccc aagagaagga aaaaacgggg tctatccacg accctgtggc cctgagaccc 300

tgtagactca ggggaagtca gaattcccaa gagaaggcag cttccagcag gaagatttct 360

gtgcatcttt gtttttaaca cacacactga aagggaatgt ttgtgaggca ttttcccaag 420

gtggacacac ctgcataacc actacctggc tcgagaaaca acatgacaag ccccccccc 480

tcccccagca gctctctgag cctccccttc ccagtctcta ccactcccac tctgacttct 540

ggcaccacag attggttttg tctttttttt ttttttgtct ttttagggct acacttgggg 600

catatggaag ttcccaggct aggggtccaa ttggagctgt ggctgttggc ctacaccaca 660

gccacagcaa catgggatcc gagccgcatc tgcaacctac accacagctg gtggcaatac 720

tggatcctta acccactgag tgaggccagg gatcgaactt gcattctcgt acatactggt 780

cagatttgtt tctgctgagc caccatggga actccctggt tttgtctatt ttttttttt 840

tttttgtctt ttttgccatt tcttgggccg ctcttgcggc atatggaggt tcccaggcta 900

agggtccaat cggagccgta gccccagcct acgccagagc cacagcaacg tgggatccga 960

gccgagtctg caacctacac cacagctcgc ggcaacgcca gatcccttaa cccactgagc 1020

aaggccaggg accgaacccg caacctcatg gttcttagtc ggattcgtta accactgcgc 1080

cacgacggga actcccggtt ttgtctattt ttgaacgtta aataaatgca agcatccagg 1140

gctgctttga ctcagtacca tgtgtgagat ttaccctgtt gatgtcagca gctgtggctg 1200

gttccttctc acggatgtgt gtgaccctca cctggaccac acctgatctg gctgatgatg 1260

ggccttgggg tttttccagc ttttggtccc aggtcacgtc tctgtttgaa cttaaatgca 1320

cttgctttca ggtattaatc tggggcggaa tgactggaac atgaggtgtg gttggttcag 1380

ctttagtaca tgccagcagg gaggatttca gtagtttatt aagcagatct tgaagactgt 1440

ggtcaactag ctcatgcccc acaggagggg gcggtgaatt tcttccccag aacaggagtg 1500

acaagctaaa ttaggcatcc atccgctgga agctgagggg gcagttcttg gctcctttct 1560

gtcaggtttc ggcccccttct ccttagtctg gggtttctag gctctactcc caggaagtgt 1620

ctggggccac ttgggaacaa tgggtggggg ggctctgagc ccctacttac ttcatttccc 1680

tccttcagcc aaagcccccct gtgtcctctg ttttacatag tggggttctg agaatgactt 1740

catttttttt ttttttttttt ttaaagcttt agctgttgcg acatttacaa atccactgct 1800

gtgaggtctc ttccaggtag gaaattgtat tttgggagca ggaggtgggt gtggggaggg 1860

ttaagcatta ttcagccaaa gagttgggtt gggcctcagt gacctttga agttcttata 1920

gcttggcttg ccatgcag 1938

<210> 4
<211> 820
<212> DNA
<213> Mus musculus

<400> 4
actaaccagt gagtgtagaa agcaggaggt gtcttttcct actgtagtta ggacagggcg 60

ggttggctct tcttatggac aagatggaaa aggggtgcag gtaggggcaa agtgagagac 120

actcgaattt gagagacaga cagactccta acagtgaagg aaggaccaag ccaaaatcaa 180

gcctgggcaa agtctcaggc actaactttg ctgtgttggg tgatgggagg taatctcgtc 240

acaacttttc aaaccacctc gttcccactg caaggagaca ccatcaagtg tttgaagatg 300

gcaggggaac ctctcaacaa aacacacaca caaacgtttt attattttat atttattttg 360

catgcaaagt actgtgtttc attatggcat tttcatacat atgcgattgc acaaactctt 420

gaaaatcatc caagaaacag caaagcggga aataatgttg tgggggggggg gcgcggagga 480

gagagaacag agactggaga gagtgctgtc ctccttgctg cgggggccag gaagaggcta 540

ggagggcggg gatgtcaacg ccactagctc ctccctcagg aaggacccca gggactctta 600

tttttgtagt tttgcttgtc tgggccacta tcggccccag aacagatctg actgcctctt 660

tcattcgccc ggaggtagat aggtgtgtct taggaggctg gagattctgg gtggagccct 720

agccctgcct tttcttagct ggctgacacc ttcccttgta gactcttctt ggaatgagaa 780

gtaccgattc tgctgaagac ctcgcgctct caggctctgg 820

<210> 5
<211> 930
<212> DNA
<213> Mus musculus

<400> 5
tgacactgaa gccacgcggg ggcttcagtg gggaggaggt gtgggcgagc gcgagcgccg 60

ctattccggc ccagccctac ctcggtcctt gcttttgtcc tggtcactcg atcatttcct 120

ctgtatccac ttctgaactc taggctctgt cccaccctga acagtgtcgc tgcatctgtt 180

tgcttactgg ggtctcccgc caccttccct cgctatccga atagctgata ttcagggcag 240

cacagggcag ggcagggcag ggcagggcga gtagggcaga tcagatcctg ggaccaccgg 300

tactaaccag tgagtgtaga aagcaggagg tgtcttttcc tactgtagtt aggacagggc 360

gggttggctc ttcttatgga caagatggaa aaggggtgca ggtaggggca aagtgagaga 420

cactcgaatt tgagagacag acagactcct aacagtgaag gaaggaccaa gccaaaatca 480

agcctgggca aagtctcagg cactaacttt gctgtgttgg gtgatgggag gtaatctcgt 540

cacaactttt caaaccacct cgttcccact gcaaggagac accatcaagt gtttgaagat 600

ggcaggggaa cctctcaaca aaacacacac acaaacgttt tattatttta tatttatttt 660

gcatgcaaag tactgtgttt cattatggca ttttcataca tatgcgattg cacaaactct 720

tgaaaatcat ccaagaaaca gcaaagcggg aaataatgtt gtgggggggg ggcgcggagg 780

agagagaaca gagactggag agagtgctgt cctccttgct gcgggggcca ggaagaggct 840

aggagggcgg ggatgtcaac gccactagct cctccctcag gaaggacccc agggactctt 900

atttttgtag ttttgcttgt ctgggccact 930

<210> 6
<211> 501
<212> DNA
<213> bovine

<400> 6
cctccctgtc catcaccaac tcccggagct cactcagact catgtccatc gagtcggtga 60

tgccatccag ccatctcatc ctctgtcgtc gccttctcct cttgtcccca atcccgcaca 120

gcatcagagt cttttccaat gagtcaactc ttcgcatggg gtggccaaag tactggagtt 180

tcagctttag catcatcccc tccaaagaaa tcccagcggc cgagtccggg gcgggacccg 240

ctctgcacaa acaccggggg ccgggccgag ctgggagcgt cgagcccgct gcccagcgcc 300

cgccggctcc ctcgcgcccc tgcccgccgc cccggaggag cgcccggcgg ccggccgacg 360

ggagcgcagc ggcacacccc gccccggcac gcccgcgggg ctcgggagga ggcagcgcgc 420

cgactgttcc ggcagccgag gacgccgccg gggagccgag gcgccggcca gcccccagcg 480

cgcccagctt ctgcggatca g 501

<210> 7
<211> 3976
<212> DNA
<213> Sus scrofa

<220>
<221> misc_feature
<222> (580)..(580)
<223> "n" is a gap of from about 600 to about 800 nucleotides

<220>
<221> promoter
<222> (1863)..(2992)
<223> fragments and derivatives of this region have promoter activity.

<220>
<221> 5'UTR
<222> (2463)..(3016)
<223> Untranslated exon 1 runs from about nucleotide 2436 to about nucl
e

<220>
<221> Intron
<222> (1)..(2462)

<220>
<221> Intron

<222> (3017)..(3976)

<400> 7

aggcctaaac ctagaactcc tgaccctgaa gctaaggaat ataatcttga aggtgttttc 60

cagtcagtag aataacacag agtttccaca catgcgtggg tctctttcta ggttgcttat 120

tctgttccat tggtccaata aaccatcctg gcgctaatgc tatactgagt tcactgcgtt 180

tcatggtctg tcttggtatc tggtggaaca agagcccaac tctcccctcc ctgctttgtc 240

aagactgcct tggttatatc tggccccttc ccgctgctgt ccaaatttta agaatagctg 300

gccaagctcc cccaaaactc tgttggcatt tgtcttgagt ttataggttg atgcatggag 360

aattgttgcc ttcgtgatgc tgatgctttc cagtgctcac tcgggggtct ctttccttcc 420

acctaaagac ttctgcacat ggttctgctt gggtcactct tccccaagcc ttcacctagt 480

gaactcctcc tcctcctggt ctcagggtct cctgcaccct tatttcttcc ttagagccct 540

gatcacaatg gtcctgaaat cactcattgc gtgggtcttn gtgacagata gtaggtccca 600

gtaaatatct gttaaaagaa tgaaggaagt ttaggtagga aggtcttcgg gacctggagc 660

accttggcca tagttagagg gatggtgacc agaggtactt aacttgcctg tgccttggct 720

ttcttcctac aaaaccggga tgtgatcaga atgtgtataa gatgaagtga gctcagctag 780

gccgtgaggc aagtggagca aagcctggca agggatcaga gctacttgtt tacctgccct 840

gcccttctgc tcagtgaatc ttcagtcctg cactcctgtg atgctcctgg aggctccaac 900

actctttccc cagcagtgat cccgtcttga ctccacctct cctatgaact agtcacctta 960

tttctactca gcatatgaca caaatgagtc tcaggaagaa tgactcataa ggccttaaac 1020

ctagaactcc tgaccctgaa gctaaggaat ataatcttga aggtgttttc cagtcagtag 1080

aattgctagt tagatttggg gagctacata gttctcaaaa gaaaacaaaa cttccggacc 1140

cgccgtgtta atttgaatta tttttatctt attgttactg aaataggtat aaacctagaa 1200

ctaagaatga agtcctcatg ctcctagctc tgcacaccta ccatgatacc aaagcaaatc 1260

ttttaagtag gtgcaattac agccacaaaa ccaataaaat ccaaattagc aacgttaaat 1320

ttatgcaact gatgacatgg tgctgaaatc aaacctcttg cattgagtct aatggtagca 1380

gagtgatgtt tttacatgtt tcattccctg tgtcatcatc ttttgatttt gatcctgatg 1440

agctatcact tcagccatgg tcagaattac cgtcataatt ttcactaaaa aaaaaaccca 1500

aaaaacacat ttattatcca atttgatggg ctgagcaatt taaacactgg atcctcaagt 1560

gcaataatga caactgggaa atactttgct aacatcactc cttgtgtatt tatttactgc 1620

atcattaaag acctagtgca agtgagttca ccgatgacaa taatggcgca gtttatgctt 1680

ttgcaaagga tccattgttc ggattgtcat ggagctcctc attcctgagc taccctgtgg 1740

ggctgatgat tcaactctcc caccctttag tccactgaac ccatcaggaa agttcattat 1800

cccaagctcc aagatgtcac ttggctccct gcagcctctc tgcaaccgtc aagtattcaa 1860

tcagatctct gttcttttca aatcaggatg aaacagttaa aattatacat cacactcagg 1920

ttctgtgcca ttttcatgtc acaattccaa tgccttaaaa tatttaagaa actaatttct 1980

tagtctctga agtcccgtgg tgaatgatcc tggcaaaagc aagttctgaa ttttgcagca 2040

gtaaaataga tggtccggga ccccaaggag tcttgtaaag gctgagtgag ggcagccgga 2100

tgtgcctaca ccagctcatc agaagtgaac tgttgtcaca ctgggcacta aagcaccaac 2160

tctgaaatat aatttttgat tatgttccct cctaaaataa ctaaagcaca aactctgaaa 2220

tataattttc gtttacgttc tctccctcta ctaatattcc agcagagaac agagcccgcg 2280

ccaggtgtcc agtacccagc ccctcatatc cgaagctcag gacttggggg tttcgggaga 2340

gagcggctcc agcgcgtcgg gttgtagcta ctgcatctgt gctcttcctt ccccaggaaa 2400

caaatggtgg atcggacctc ccaggctctt cgcgccccgc cacccctccc cgtgttagca 2460

gggcgcaggg ctccggggcc cctccctgca gtactgggtg atagacccca ctccaccctc 2520

cgggtccctc cacccccacc acgtgcaggc cagagaaggc aaagaggccc agccaccctc 2580

accagggaat ttcttttctt tttttgctgg tttcaggctt ttttctgcct gagtgaaaat 2640

gaaacaaaca ccccctgcgc ctcccggcca ccagacacac acgcgcaccg gcactcgcgc 2700

actcgcgccc tcggcctcct agcggccgtg tctggggcgg gacccgctct gcacaaacag 2760

ccgcgggccg ggtggagcgg ggagctcgcc gcccgccgcc cagtgcccgc cggcttcctc 2820

gcgcccctgc ccgccacccc ggaggagcac acagcggccg gcgggccgga gcgcaggcgg 2880

cacaccccgc cccggcacgc cctgccgagc tcaggagcac gccgcgcgcc actgttccct 2940

cagccgagga cgccgccggg gggccgggag ccgaggtgtg ggccatcccc gagcgcaccc 3000

agcttctgcc gatcaggtgg gtcccgctgg gcgctgcccg agcccctgga ggccgcgagt 3060

cccgcccggc ccggggctgc gggcgccgtg gaggcagcgc ggggagagga caggccaccg 3120

cgccggccct gccctgttgc tgccctgccg tgtccccgct tttgttctcg tcgttacctc 3180

tgtgctcaac tctgaccccg tctctgtccc catcttgtcg ggcctgaggg gctgcgggct 3240

tccacggggt ccgccggatg gaggcgggag aggggaggct cggggcgcgc agaggaggag 3300

gactgcccgg gaagtctcga aaggagggag gggtctgtct cccaatgtgg ggcaggggag 3360

gcggaggcct ccctcgcccg ggactaggtg ggaagaggat gcctccgcaa gagggaacct 3420

gagagtgaag tgggggcac agaaaccctg aacgcacaga gagggagaag tcggggaact 3480

cagagagcgg aggaccgaac ccgaaacccg gccgggggaa actttggaac gccgaaactt 3540

tggcggcgaa aaaggccgct gtatcgggtg acaggaagca aagggtcctt cagactttaa 3600

gccacacgtt ccaggaggga gggaggcgcg gagaccgtct gcgggcgccg ctcctccccc 3660

caggaaagac aagagacccg gacggttgct tttgtggttt tgcttgtcgt cgtttgccct 3720

cctcttggcc cctgagcggg ccttgtcgcc ttgttcttgt gcttggaaat gggtgggtct 3780

cggagcgctg gacgtgcggg gaccgggggg gtgggggcga ggaggagtcg gggccgggac 3840

gcctcctagc tggcaaaccc ttttccaggg agaatccgtt tccacaaacc tgaaatagag 3900

agactgctgg aagtaaggaa atgccaagtg cgaagaggtt gtgtgtgtgt gtggtggggg 3960

gggatgtgga tgcttt 3976

<210> 8
<211> 8989
<212> DNA
<213> Sus scrofa

<220>
<221> Intron
<222> (1)..(4731)

<220>
<221> misc_feature
<222> (4732)..(4814)
<223> untranslated exon 1A found in some transcripts

<220>
<221> Intron
<222> (4815)..(5241)

<220>
<221> misc_feature
<222> (5242)..(5353)
<223> untranslated exon 2 found in some transcripts

<220>
<221> Intron
<222> (5354)..(8989)

<400> 8
aaaatctgat tttgatctga tttggctagt ttatcacagt ccatccttac ctggtcaaat 60

tcacatactt ctgctgcctg cctggctcct gtaggctttc actcagcatt aattcagcaa 120

atatttactg aacatctgat agatgtcaaa tactgttcca ggtaccagga aagcccagaa 180

gtgaccaaga cagaagacaa gtgctccctc ccacccccca aagagcttgg gttctagtgg 240

aatctggttc atgaccctct tcttgttctg cctccgttag catccccagc ttggtctgac 300

ttcaccacca ccaggggtgt acaaggctga ggtgggacag actcacagaa agacctcaaa 360

cttgtcttcc attccagggc tgctgactca taccatacga ctctgtaagt ttcttccctg 420

atcttcagtt ccctttctta taacttgggg cttgtaatat ttcacctact tagcctctat 480

gttatgtggc ttttgtggat ggcagtgggc tctaaacggg gcgtgggtgt gaccttgacg 540

gaagatgagc ttatcacgtg ttcaaaaagc agtcctgctt tgaggcaggg agctgactta 600

cctgactttg aggttctctc tgctgaggaa agagtgagaa cttctgtggg gggtcggggg 660

caagggtacc ccctggcacc tactgcccaa ttgtgaataa ggagcaggtg cctctttctc 720

acctccatct ggggtacttg gcctgaggaa ggggtgagaa ggaccaagag agggtaggaa 780

tagagcggtt tccttgggtg gggaaatcct ccagtcacct gtgctggtgc tcaagcccag 840

gctgtcatca gtacccgggc ctcgcccttc cgtgggagcg cctcacatct ccccagctgt 900

caacaaagcc agcttctttc ttctctagga agagtctgac ctatagagct tgaaggactg 960

acatgagccc cagagaggga cttcctggtg tgcaggagga gggctgaggc tcaggatgga 1020

tgcttgcaga ggcaggagtg cttcagcatg gctttggtgg agtctgtcct ggagttacct 1080

ggggcagagg cagatctcaa gatgattagc aatgtactgg cctggaaaga gtcatcatga 1140

tttcattttt ccagctcttc tcaaggaaat agacttatag atgcaacctc tcttgactgc 1200

cgttatttat tatgtgggct tttgccaaga tcgtttcagc tctgatactc acaggcgtgt 1260

gtgggggca gtacttaaca gtaacggaaa cgtcgtgcca ggaacccttc cctccgtacc 1320

tttccccacc tgcagggtta catggtcaaa atgactattt gatacacaaa tgtaaactcc 1380

aaggagctgc agcctcggat taatagaaca gcagagacgg acaatgattg agcacctcaa 1440

gcacttttcc gggcgtgtct ccttacttct tgcaatattg ggtaatacgt atctctagac 1500

acttaccatg tgccagctac catccagctg ctgttgttcc cattgtgcag ccgtagaaac 1560

agagacacag agaggttaag cacattgccc aggatcgcat atgggcaggc ctgggactcg 1620

aactccggca gcctgggccc agagtccaca ttcataacca cggtgctcta ggcccctcac 1680

ccaccccgag cggtggggat tataattatc ctcaccacac ggaagaggaa accaactaaa 1740

ctgctccatc actcacaagt gacagcaaga atgtcttata cctgccttaa acgtatttag 1800

gattaaaagt gacagctgca acctttgtat ctgtagcact ttttgccaag aacacttaat 1860

cctccctctc ccacagggtg ggaatccgga cctttgtgtt tctcagctgg aaggggtctg 1920

gggcatgaag ccgggaccct tcacacctgg gctgcagctg ctgagccgca gctccaaggc 1980

cctgcactcc tctgcagggg acatggcaga tggacaggct ctgaatgctg gctgtcatct 2040

gacaggccta tggactgtta gggctggaag gggccttggg gaacattgag tgatgagatt 2100

agtcggcctg gctgggctgg gaaacgtgcc aaactcctac ctggatggcc actggcctcc 2160

tttgatcagc agacctgagg ctcacttgct acagttccct gcctctccat gaaggaatgg 2220

ccggaagtac atgcttcctt gttttgagag tctgggcatc agggtatgtc ggagaaggag 2280

gaaggtcatg tcggatcctc tggaagttga attttctgcc ttccaagttt gcatactctg 2340

tcgtgctctg attcatgaac ctggagcctc taattccacg aacctgtagg gtgttcccca 2400

gaggcagctc aggaggaagg gcagcatcag acccaccagc cggcaacttt gagcaagtca 2460

cagaggctcc cagtgcctcc ctcccttccc tgacccgggg cgggtgagcc tgaggatttg 2520

ctgagttaaa ggagagaggc tgctttgtaa actggaaggt ggcaaccatg atgggtgctt 2580

gctttttttt gttgttgttg ttttgttttt ttgtcttttt gccttttcta gggccgctcc 2640

tgcagcatat ggaggttccc agcaggctag gggtcaagtt ggagctgtag ctgccagcct 2700

acgccagagc cacagcaacg tgggatctga gccgcgtctg caacctacac cgcagttcac 2760

ggcaacactg gatccttaac ccactgagcg aggccaggga ttggacccgc aacctcatgg 2820

ttcctagtca gatttgttaa ccactgagcc tcgatgggaa ctcctgggtg cttgcttctt 2880

gaaaggacca gtttatctta gcccagttcc tgagcctcca aatgctgtga actttccctc 2940

ccagttgacc acagtccagc tgcctgcatc atttaatgtg aaagatcttc cctgagtccg 3000

tacttaggtg ctctgtggtg cttggtattg gggcgttgaa cccaagagaa ggaaaaaacg 3060

gggtctatcc acgaccctgt ggccctgaga ccctgtagac tcaggggaag tcagaattcc 3120

caagagaagg cagcttccag caggaagatt tctgtgcatc tttgttttta acacacacac 3180

tgaaagggaa tgtttgtgag gcattttccc aaggtggaca cacctgcata accactacct 3240

ggctcgagaa acaacatgac aagccccccc ccctccccca gcagctctct gagcctcccc 3300

ttcccagtct ctaccactcc cactctgact tctggcacca cagattggtt ttgtcttttt 3360

ttttttttttg tcttttttagg gctacacttg gggcatatgg aagttcccag gctaggggtc 3420

caattggagc tgtggctgtt ggcctacacc acagccacag caacatggga tccgagccgc 3480

atctgcaacc tacaccacag ctggtggcaa tactggatcc ttaacccact gagtgaggcc 3540

agggatcgaa cttgcattct cgtacatact ggtcagattt gtttctgctg agccaccatg 3600

ggaactccct ggttttgtct attttttttt ttttttttgt ctttttgcc atttcttggg 3660

ccgctcttgc ggcatatgga ggttcccagg ctaagggtcc aatcggagcc gtagccccag 3720

cctacgccag agccacagca acgtgggatc cgagccgagt ctgcaaccta caccacagct 3780

cgcggcaacg ccagatccct taacccactg agcaaggcca gggaccgaac ccgcaacctc 3840

atggttctta gtcggattcg ttaaccactg cgccacgacg ggaactcccg gttttgtcta 3900

tttttgaacg ttaaataaat gcaagcatcc agggctgctt tgactcagta ccatgtgtga 3960

gatttaccct gttgatgtca gcagctgtgg ctggttcctt ctcacggatg tgtgtgaccc 4020

tcacctggac cacacctgat ctggctgatg atgggccttg gggtttttcc agcttttggt 4080

cccaggtcac gtctctgttt gaacttaaat gcacttgctt tcaggtatta atctggggcg 4140

gaatgactgg aacatgaggt gtggttggtt cagctttagt acatgccagc agggaggatt 4200

tcagtagttt attaagcaga tcttgaagac tgtggtcaac tagctcatgc cccacaggag 4260

ggggcggtga atttcttccc cagaacagga gtgacaagct aaattaggca tccatccgct 4320

ggaagctgag ggggcagttc ttggctcctt tctgtcaggt ttcggcccct tctccttagt 4380

ctggggtttc taggctctac tcccaggaag tgtctggggc cacttgggaa caatgggtgg 4440

gggggctctg agcccctact tacttcattt ccctccttca gccaaagccc cctgtgtcct 4500

ctgttttaca tagtggggtt ctgagaatga cttcattttt ttttttttt tttttaaagc 4560

tttagctgtt gcgacattta caaatccact gctgtgaggt ctcttccagg taggaaattg 4620

tattttggga gcaggaggtg ggtgtgggga gggttaagca ttattcagcc aaagagttgg 4680

gttgggcctc agtgaccttt tgaagttctt atagcttggc ttgccatgca ggagatctca 4740

gaacattcta taaaaatagt gttcaaacag aacaacttct gaagcctaaa ggatgcgaac 4800

aagaggctcg gaaggtagca tttcaacggg agttttgagg atgctctcct ttagccaccc 4860

ctctccattt tctgcccccc tctttttaaa ttctccattg gctgtccctg ctagttgtca 4920

tttggggtgg tttgggttca gaatggttct cattttcgcc gaggagtggg tgatgtgggc 4980

ggcctgtgtg tctctcccaa gggtggtggc tgtccctcct ccaccaccag gcctagtttg 5040

gacctgtagt ttcgcttagt gaaggaggcc gggccgatcc tgggccggag agagacgtct 5100

ctgccttggc atgcagctct gagtcaacag gcctgataaa cagcccactt cccagggcga 5160

gcaaggagga acaaggcccc tggctgctgt gggatccgtc tgcgctcctc ttcgtgaaac 5220

cgctgtttat tcttttgaca ggagttggaa cgcagcacct tcccttcctc ccagccctgc 5280

ctccttctgc agagcagagc tcactagaac ttgtttcgcc ttttactctg gggggagaga 5340

agcagaggat gaggtacgtg aaacgttgaa atgatttacc tccgctttgc tggggtcacc 5400

ggggggggtgg gtatcatgag ctggctgcag cgtggagaga ggagcccccc tctccccctg 5460

acttcttgct gctcccccca gttgttctga aagaagacaa agtcctccag tccccggcat 5520

cggatctagg agtgggagct ggcaggatgc tggctcagtc actgttggtt ctgctttcgt 5580

tggctgcccg gcaggacctc acggggtgtg gctacagcct ggggttctct gtgtgggcca 5640

cacagtgcca ttgtggggcc aggaggacga gtctcaggcc cgggacctgt gctgggggcg 5700

gacatagtgc cctctcaggg cagcaccgat ccttcatgta cctcgcccta tttctcttgg 5760

aaaaactctt gcaccatgat ttctgagcca ggcagcaagg agaagctggc tggatccagg 5820

cttcagattt ttgaagggga ttcaagaaag gggcctacaa gatgtccctc cgagaacagg 5880

tctgtgatgg ctggagcgac agctgtgaaa aaaataagtg gaaagagcct tcggtgcggt 5940

actccccccc cacccctgcc ccccaaatta taccatgttt cttccaacag ggagcatttc 6000

cctgtaatgc aagccaattt aaattcttga gggtgcacat tttggtttta tttcaactga 6060

ttattagtgt agaggagtat aagataacat ttctttaaaa accatcaaca caaacccatc 6120

actcgtgatt caattgttta ggagaggagg gaactccgcc tcgtatacca aatacagtct 6180

gctctcggtg cagcgtgcag tcccagcaag gccctctcct cgaactcaca cagctcttgt 6240

ctccagcggc ttccttccca tgtcttggct aggctgggct ttcttagtaa ccccaaaggc 6300

ggagaatcaa attcacagat ttttttttttc tggatattta gatcttgtat tttaagccac 6360

actatttata aggctcagag atacatttaa actctgacta gggcttctta taaaagtgat 6420

atctggaaag aaggtctggc tttaacagag taagggtcag acccccccct ttcccattaa 6480

tgactccagg aatgctctgg aagactgaag tggaggcaaa gaaggacttg aatttgcatg 6540

acctgatctt gaatccaggc taaatttttc ctggctgtgc gcctttaggt gggtcattta 6600

cctcccctaa ttctcaggtg gctcacttca tcatctattc ttttactgag gcagagaggt 6660

ccctctacca ccaggttgaa tgagctcagt gacctctgaa aactccaaag tgctgcacag 6720

atcaaggtgg tatgaggtag aagaggaagg gaaaaaggaa tgagtaggat caaagaaaga 6780

aggagtgaaa agaagcagag tggagagaca gagccaacac aaggatctgg gtaccacttc 6840

tggattaggg tcagggctta gaagatgaca ttgatggttg ggtcttttttc actacacaga 6900

gaatagagct gaccattaga cttggcccgg agccagtcat tgtgaaagaa atcaatattc 6960

agattatcat gacaactacc atttgtgtaa ttttaattca caggatcact ttttctggcc 7020

cacgaggttg aaataagaat ggctggtcag attgactggg gcggtccgac tggcctgtgc 7080

ttgagagttg accatgagct ccctgccatc tagcgtgtat gtcacccaga cttttaactc 7140

accatctgga ctgaccctcg agaacttgat gccatttgag agcacccaag gggtccagag 7200

gaccttatca aatcctctga ctcctctgtg caggctgttg gccagcttat actccttccc 7260

atccaacgtg atgttccttt ggcaatttgc tttgccaccc tgccaaccac tgctccaaag 7320

tagggatgct tttggaggta cccttccaat tcagcaaagc caagcaccac atctgaggct 7380

ctgccttgcc tgtctttgac ctccagggcc gtgatggtgc agcccgagga gatgatttcc 7440

actcccagtg ttgttcagcc cgaggagatg atttccaatt cccagttggt ctgcttgcag 7500

ctggaatttt tccatgttcc ttgcccccaa ggggagttct ccaaacacag atcttgtaac 7560

tgaaaccatg aggaaagctt ggggtgtgta ggtgctccag gtccttcaaa cgccccatct 7620

tttggcagtt tcttgctcag gtgggtccag ccagagtcct ggagaattca gctctttgat 7680

cctggctgga gtgggggggtg caccaccagg tgattgtgag gtctggatcg tgacctgtga 7740

gcagggagcc aagtagcatc atgttcagct ccttctcctt gggatcaaag tgagaggctc 7800

caaggagctc agcaaggtct acctggatgg ggcaggttgc tcctaggacc caggtaggtg 7860

cggggagcag ggtcagtacc tgggctccac ctgcagcccc aggacaggca cccaggctgg 7920

aacgattccc ccaggcaggg gcagcacctc acctggagga agcatttggg ccttgcccac 7980

tccacacccc aggcctgcct gggggcctga cccggaggct tctgggtgaa gtggcctgag 8040

ggctcaacac attttgtggg caatcctatc tctttttta ttttatttt tttatttttt 8100

gctttttagg gccgtacccg ctgcatatag aagtttcctg gctaggggtc aaatcggagc 8160

tacagctgcc agcctacacc acagccacag caacacagga tccaagccgc gtctgtgacc 8220

tacaccacag ctcatggcaa tgccggatcc ttaacccact gagcgaggcc agggatcgaa 8280

cccgcaacct catggttcct agtcagattc atttccgttg cgtcatgacg gaaactctgg 8340

caatcctatc ttttgatcac cacttctagg aatctgtggc cactgcagca agttgagctc 8400

cagtgaacct gtcctcataa aaggagcctt cagctctgtg gctgccttct catacaggtc 8460

ttggctcatt caggggaagt taagcccaca ggacatgttt caaaggacgg gaaatgcact 8520

gggttttagc acagtctgca cgaggcccgg gagtgggggt gcaagtggtt tcttttggaa 8580

accgctgcag gggctgagtt gtgggagtgg cccaggagca gagagaaatg gcaaacgcct 8640

tggcaggagg gcctgtggga tggtgggagg gctcaggtgg aactgggccc gctgggttca 8700

cctgatcctc tgagggctgg ggcccaggtg gtgctgaggt ggttacactc tcccttataa 8760

gacaggatgc tagtgctctc taggctctaa tcctgtgctc tccctcttcc atgagaaatg 8820

tagaagcaac ccccactttt cctatttggt gggtaagata gtcaaccacc aatcttgaga 8880

attagagagt tttgaaaatt ctgtgacaaa cacatccgtg aagggctttt agaccacatg 8940

ggctgccaaa tgcctcattt taatccagag agaaaaataa aattgtttt 8989

<210> 9
<211> 240
<212> DNA
<213> Sus scrofa

<220>
<221> Intron
<222> (1)..(29)

<220>
<221> misc_feature
<222> (30)..(118)

<220>
<221> Intron
<222> (119)..(240)

<220>
<221> 5'UTR
<222> (30)..(38)

<220>
<221> misc_feature
<222> (39)..(41)
<223> This "atg" is the translation start codon

<400> 9
aattttccct tctccttttc ttttcccagg agaaaataat gaatgtcaaa ggaagagtgg 60

ttctgtcaat gctgcttgtc tcaactgtaa tggttgtgtt ttgggaatac atcaacaggt 120

aattatgaaa catgatgaaa tgatgttgat gaaagtctcc tctaatctcc tagttatcag 180

ccaagtcacc agcttgcatt aaaagtagga ttcactgaca ccgtaaagaa agcattccag 240

<210> 10
<211> 2685
<212> DNA
<213> Sus scrofa

<220>
<221> Intron
<222> (1)..(2140)

<220>
<221> misc_feature
<222> (2141)..(2176)
<223> This region defines exon 5

<220>
<221> Intron
<222> (2177)..(2685)

<400> 10
aagcttttaa ggactctaag ccttcatttt tctttttttt tttcctatct tcgacttggt 60

tgctaggaag cttagagcaa agtattgtgc ttaaatgctt gcattttcct tggccttcat 120

ttttttaaa acatttttc ttattaaagt atagctgatt tatagtagcc ttcatctgat 180

atgatttatc ccctggtgtt aaatcctggc ttttgttaga tgccatggga tcttggcaat 240

ttgctcaaac tcattttgcc aatatcttag ctatgaagta aaaataaagt taaagatttt 300

gttctcacag agtggctggg atgaccaaag tcatgtgaaa acacccgagt gactaaaatg 360

tttctctgtt tcgttttgtt ttgttttgat tcttgtattg ttttcctatt tatcgtaacc 420

acactttctt cataagccat ttcaagcact tcctgaaagt agatggactt taagtttctt 480

ggacttccag ttgtggcgca gtgcaaacaa atctgactag tatccatgag gatgcatctt 540

cgatccctgg ccttgctcag tgggttaagg atctggtgct gctgtgacct gtggtgtagg 600

tcacagaggc ggctcagatt ccaagttgct gtggctgtgg cgtaggccgg cagctacagc 660

tccaattaga cccctagcct gggaacttcc acatgccgca gggtgcaacc ccaaaagata 720

aatgaataaa taaataaata tgcgaccttc ctttcttggg gcccttgcat gtttttctct 780

ctgttaggca cactcttgct aatccctctt cactgggcct cctatgtatc cttcagaact 840

cagctaaaac atcatcccct cccctgggga gccttcgagg tcttcctgtt aagtgctcct 900

atgctttctt ggagttttga agtcctataa tgatgtgttt atcaaaatag ggtccaccct 960

ccctgccagc ttctttacac cacagacaca tggtgtctgt ttcagtcaac actgtatgtc 1020

tggcacttga catgtaacgc atgctcagca ggtatttgtt gaatgaatgg aggcggtctg 1080

ctagagtcgt catatattta ctgatcccgt cttgtaggat ggtctcactg cttttgttag 1140

cttaagaagt acctttttt ttttttttt tttaatggcc acacccatgg catatagaaa 1200

ttccacgaag gaaggaagaa agaaagaaag aaagaaggaa attcctgggt cagggattga 1260

atccaagcca caggtgcaac ctgagctgca gttgcggcaa caccacatct tttaacccac 1320

tgtgctgggc cagggatcat acctgtgcat ctacagcgac ccaagccacg gcagtcagat 1380

tctttttctg cctttctttc tttcttttct ttttttttt ttttttttt tttgtctttt 1440

tgccttttct aggtgcggca tatggaggtt cccaggctag gtgtcgaatc agagctgtag 1500

acgccggcct aaaccacggc cacagcaaca caggatccaa gccttgtctg tgacctacac 1560

cacagctcaa cggcaacgtt ggatccttaa cccgttgagc gaggccaggg attgaacccg 1620

caacctcatg gttcttagtt ggattcgtta accactgagc catgatggga actcctgcag 1680

tcagattctt aacccaccat gccacagcag gaactcctag aagtgccctt tgaggctact 1740

ctgtagacag ctttgagcca gcgaggcaag acctgttttt ctggaggaag ataaatcctg 1800

ggtgagggat gggtgggctg tggtcttcct gggacccatc tctggagcct ctctccctca 1860

gcaaagccac cttggacaat aagagctgcc atctattttt tttttcttta aactaagatt 1920

tgatattttc cagagacctc cctcccaccg ttcgatctga gtaattctga aatgacgaga 1980

gccccgtgat atcatttttt cgatctcgaa ggtggaaacc tgggagtagc cacaacccag 2040

gctctcagct cagcctaggg tttcaatgat aatgattgca aaatagcttt tctctgcgtt 2100

ccaagtaaca tgatatgttt ttatttccat ttgcttttag cccagaaggt tctttgttct 2160

ggatatacca gtcaaagtaa gtgctttgaa ttccaaatat ctctaggtca ccttccatgt 2220

gaccctggtg gccctacagt ccattcttaa catggcaggt ggtgacgcac ttgtggtcct 2280

aggtggagga gagggatggg gttccagggg tctgagctgt acttctccag cccctagact 2340

tgcctttcta gagcatgagt tgtgtttttc ctttgcttct catcaagtat ctatctcttt 2400

aagtgatgtt gtttggagaa cattcctgcc ttgctcataa aaaagaatca gagtagatat 2460

tatccattat gctacctact acatgtggta taaagaccct tgcccagaaa ttttgccaag 2520

acaaaggatt aggaagaaag gctgggtgtc ctgataaact aagtgtgtgt attattatta 2580

tttaatatta ttactaatac tgggtgattt aagggactcc taaggccttc aatttttcct 2640

ttttttcttt ttttttccta atcttccgac ctttggtttg cctaa 2685

<210> 11
<211> 180
<212> DNA
<213> Sus scrofa

<220>
<221> Intron
<222> (1)..(37)

<220>
<221> misc_feature
<222> (38)..(100)
<223> This region defines exon 6

<220>
<221> Intron
<222> (101)..(180)

<400> 11
tttctaaaaa atgtttgtca tctttttcat ttcttagaaa cccagaagtt ggcagcagtg 60

ctcagagggg ctggtggttt ccgagctggt ttaacaatgg gtaagactgg gaaacggcca 120

tctgtgtatc tgctcaaggc tgtagagtcc aaataaaatg gtttcacagc catgaccttc 180

<210> 12
<211> 242

<212> DNA
<213> Sus scrofa

<220>
<221> Intron
<222> (1)..(100)

<220>
<221> misc_feature
<222> (101)..(205)
<223> This region defines exon 7

<220>
<221> Intron
<222> (206)..(242)

<400> 12
atgaccttct ccagtcgcgt cgtccttctg gcttattgga cattctggca catgggtcac 60

cctccctgcc ttcctcagct tgttttccgt ttgtacgtag gactcacagt taccacgaag 120

aagaagacgc tataggcaac gaaaaggaac aaagaaaaga agacaacaga ggagagcttc 180

cgctagtgga ctggtttaat cctgagtaag aaaagaagcg ttgccctatt tcagtaaatc 240

ca 242

<210> 13
<211> 720
<212> DNA
<213> Sus scrofa

<220>
<221> Intron
<222> (1)..(257)

<220>
<221> misc_feature
<222> (258)..(394)
<223> This region defines exon 8

<220>
<221> Intron
<222> (395)..(720)

<400> 13
agcagaacag ggggacggaa gtacatacac gttgtacagg tacgatcccc aaagggccac 60

cagggcagcc cgcagaggca cttgggccag agcctcctgt ccttccccca gaagatgccg 120

caatgtcaca ccaccagctg actggggcta aaatacagtc aggattcaag gccagtccca 180

caagccatga ctgacccatg ttcccccaga ctgtcgtacc ttagcaaagc catcctgact 240

ctatgttttg tcaccaggaa acgcccagag gtcgtgacca taaccagatg gaaggctcca 300

gtggtatggg aaggcactta caacagacgt cttagataat tattatgcca aacagaaaat 360

taccgtgggc ttgacggttt ttgctgtcgg aaggtaggtg ttgctaataa aactggcctt 420

gagtttttcc ccttccacta tcagaggatg ggtgaggggc ccctgggttt acagaggctg 480

ttcatgtcat gtctgaatta gtggagagga gaatggtgtc acagggccat tttagactcc 540

cttctgctga ggtccccaaa ggctaagaat aaaactagtc agagggtcaa ctctttccca 600

cctcagggtg aggggcttgg gttgcaggga agaaaatctg ctatacccac tgcacccaaa 660

gtcgacagta cacccacagc cacctccacc ctgacctcca cggccctctg tggaaattcc 720

<210> 14
<211> 2964

<212> DNA
<213> Sus scrofa

<220>
<221> Intron
<222> (1)..(318)

<220>
<221> misc_feature
<222> (319)..(2904)
<223> This region defines exon 9

<220>
<221> terminator
<222> (1010)..(1012)
<223> This is the translation termination signal

<220>
<221> 3'UTR
<222> (1012)..(2964)

<220>
<221> terminator
<222> (2858)..(2863)
<223> This is one transcription termination signal

<220>
<221> terminator
<222> (2883)..(2888)
<223> This is one transcription termination signal

<220>
<221> polyA_signal
<222> (2904)..(2904)

<400> 14

tgcaatgccc agagcagctg aaaacacatg ttctctctgc ctggttggct tccaagagtg 60

agagaggaag gagcagggct gagcatgccc agccaccctg ccagaatcac cagtcaggta 120

agccactcca cctccccaaa gctgaatgac tgaatggtgg agagtagctg ggaatgttac 180

agcaacagac gtctctcatc caggatgggg aaaaatcatt cctttcctaa actgcaaaat 240

acagactaga tgataatagc atattgtctc ctctagaaat cccagaggtt acatttaccc 300

cattcttctt tatttcagat acattgagca ttacttggag gagttcttaa tatctgcaaa 360

tacatacttc atggttggcc acaaagtcat cttttacatc atggtggatg atatctccag 420

gatgcctttg atagagctgg gtcctctgcg ttcctttaaa gtgtttgaga tcaagtccga 480

gaagaggtgg caagacatca gcatgatgcg catgaagacc atcggggagc acatcctggc 540

ccacatccag cacgaggtgg acttcctctt ctgcatggac gtggatcagg tcttccaaaa 600

caactttggg gtggagaccc tgggccagtc ggtggctcag ctacaggcct ggtggtacaa 660

ggcacatcct gacgagttca cctacgagag gcggaaggag tccgcagcct acattccgtt 720

tggccagggg gatttttatt accacgcagc catttttggg ggaacaccca ctcaggttct 780

aaacatcact caggagtgct tcaagggaat cctccaggac aaggaaaatg acatagaagc 840

cgagtggcat gatgaaagcc atctaaacaa gtatttcctt ctcaacaaac ccactaaaat 900

cttatcccca gaatactgct gggattatca tataggcatg tctgtggata ttaggattgt 960

caagatagct tggcagaaaa aagagtataa tttggttaga aataacatct gactttaaat 1020

tgtgccagca gttttctgaa tttgaaagag tattactctg gctacttctc cagagaagta 1080

gcacctaatt ttaactttta aaaaaatact aacaaaatac caacacagta agtacatatt 1140

attcttcctt gcaactttga gccttgtcaa atgggggaat gactctgtgg taatcagatg 1200

taaattccca atgatttctt atctgttctg ggttgagggg gtatatacta ttaactgaac 1260

caaaaaaaaa attgtcatag gcaaagaaaa agtcagagac actctacatg tcatactgga 1320

gaaaagtatg caaagggaag tgtttggcaa caaaataaga ttgggagggg tcgtcctctt 1380

gattttagcg tcttcctgtc tctgctaagt ctaaagcaac agagttgctt tgcagcagga 1440

gatcagagtc taccttagca atcctcagat gatttcaaca gcagaggact tcaggttatt 1500

tgaagtccat gtccttttcg catcagggtt ttgtttggct tctgcgcagg atactgatca 1560

agattcccaa tgtgaatgtt ggagttacag ggaatccgaa tgaaccaatg ggagctcagc 1620

acgaaataaa agcacagctt ctaagtaagt ttgccatgaa gtagcgaaga cagattggaa 1680

agagaggggg ctgatcactg tggggcaatg ccatttctaa gagacacagg gcatggagtt 1740

ggcatgtaca tacagcttgg atccaggcac tgaatgggag gcaatgagag tggctccagc 1800

ctcctcaacc atatgacaac tagagcagca ctgtcttaga agatgcttct tgctttggcc 1860

aagtcatatt cagtctgcca gactctggaa cttgtgtcta caaatccttg ctcagaggaa 1920

gtggatgatg tcagagtgga cagaggccta cattgggttg aagtgacttc ctagaccttg 1980

gcttcatgac aatcaggcat cagcaagccc tgctgccacc tgctctaact ctcagagtcc 2040

ctcagcccat catgggcaac ttgagagcca ccgtcaagga gtggactaga ggaaaagcct 2100

gcttatcagg gaacctctca tttcccctgc cccagctgca ctactgaagt gtaactgccg 2160

gacatgttta ataaagtggt taattgattt tatatcaaag tagagaggat ggcaatggga 2220

gacccagtcc tcatgactaa acagcttttc aatccctttc tctaagaaaa gctatgagat 2280

cttacatgta atttaaagtt aagcagtttg gtgtaaagga agttaggagg caatatttac 2340

atctgcaggt atgtgatata cttttgcttg tgttccagtt taggtcattt gtgtccattt 2400

tcaaatgatt tacttgaaga gccattgcac tgacttgatg ttcagcacga tgggcttctt 2460

tgataaaatg aaacctacat tttctctact gtttccctgg gcctcctact cttcaattct 2520

tgctaaaaat ttttgcaacc cagcaaaata actcaacaaa ataacccaac aaaataactc 2580

aacaaaaatc ctggagaagt agtcttgtaa aagaaaaagg aaatcacaag tcaattagga 2640

ctcttgtttc tctataacgc aagtttatgg aatccattct ggagtgcaga gacttcatgg 2700

tgcaagttcc aaactacaga aatgattcgt tctcaaagat taaagaaaag gactgatatt 2760

tccttttgaa ggaatcttga tttttaaaaa aaaaatcatt taaatttaaa tttcaaatgg 2820

acaaattcaa gatcttatta atagttcaat attaaaaaat aaaaattcct gatttaaaat 2880

taaataaatt attttctcag tatattctgg tctggtcatg gattgtggct tttttcccaa 2940

agatgttcag aactgtcatt taca 2964

<210> 15
<211> 1500
<212> DNA
<213> Sus scrofa

<220>
<221> misc_feature
<222> (1)..(1500)
<223> genomic sequence between exons 2 and 4

<400> 15

ggatccttaa gccactgagc aaggccaggg atggaaccca caacctcatg tttcctagtc 60

agattcgtta accacagagc cacgacggga actcccacac attatttatt gacggccttc 120

tctgctctct gtggggcact gggaattcag gggtgatcaa gaagtcatcc ctcctgccct 180

caggaagctc aaaccactca ttatttattg acggccttct catgctctct gtggggcact 240

gggaattcag gggtgacgaa gaagtcatcc ctcctgccct cacgaagctc aaacaagcag 300

gtagaggagg cagagcaaaa tgcaggtctt atccggtgag ccgactccca gggcgatgtg 360

tacagcaaag gaatagaggg atgggggccg gaggagagaa aagggcttca gccgtggtca 420

gggtgggggt gggaagtggc ttcacaaagg cagtgacatt ggctcccagg tgtccactct 480

tctgtctctg ctaccttctg gtcctctcct tgtgggccct cctctatcct acctctaaag 540

cttcagccca gcatcctcct cctcctcttt ctctctctgc attctctcct gggtaatcaa 600

attcgttccc ttcacgtcag atccggtatc ttccttggtc catgaacaac ttctccgatt 660

gcacggtctg cctacatctc tctgatgaac tttagacttg aatgtccact tgtctccctg 720

tccccttta ggtattcgca cactccccga cattcacacg tccaaaaggg aattcatgat 780

tattatcctc caagcctgtt cctcctccag cccatctgag aaaatactac aacccccctg 840

cttaagcaga aatcttgggt cttccctgtc tcatctctga taacaaaatt accaaccacg 900

tcctatcaat tctctctcca aagtatatat atatatattt tttttaattt tttcccgctg 960

tacagcatgg ggatcaagtt attcttacat gtatattttc cccccaccct ttgttccgtt 1020

gcaatatgag tatctagaca tagttctcaa tgctactcag caggatctcc ttgtaaatct 1080

aagttgtatc tgataacccc aagctcccga tccctcccac tccctccctc tcctgtcggg 1140

cagccacaag tctattctcc aagtccatga ttttcttttc tgtggggatg gtcatttgtg 1200

ctggatatta gattccagtt ataagtgata tcatatggta tttgtcaaag tatatatttt 1260

atttttcttt gtctttttgt cttttgtctt ttttttgttg ttgttgttgt tgtcgttgtt 1320

gttgttgcta ttacttgggc cgctcccgcg gcatatggag gttcccaggc taggagttga 1380

atcggagctg tagccaccgg cctacgccag agccacagca acgcgggatt cgagccgcgt 1440

cggcaaccta cacacagctc acggcaacgc tggattctta acccactgag caagggcagg 1500

<210> 16
<211> 500
<212> DNA
<213> Sus scrofa

<220>
<221> misc_feature
<222> (1)..(500)
<223> genomic sequence about 4-5 kbp downstream from porcine exon 4.

<400> 16
ggtacccatg aaaagcccaa caacacaggc tagaaggagg atgtcagaga gagagagcaa 60

aggaacgtga gagttcaggg agggcaaggt tatgtttggc ttggagatgg atctatgttt 120

tgcatttatt tttttggggg ggggtctttt tgctacttct tgggctgctc ccgaggcata 180

tggaggttcc caggctaggg gtctaattgg agccgcagcc accagcctat gccagagcca 240

cagcaacgca ggatctgagc cacgtctgca accttcacca cagctcacgg caacgccaga 300

tcgttaaccc actgagcaag ggcagggacc gaacctgcaa cctcatggtt cctagtcaga 360

ttcgttaagc actgcgccac gacgggaact ccctcattta gaaatattta ttgagcacct 420

actgtatgcc aggcattgtt ctaggttcat accaaagaag gctcaaaaag atggcatccg 480

aactgttgcc cttgaaagga 500

<210> 17
<211> 1520
<212> DNA
<213> Mus musculus

<220>
<221> Intron
<222> (1)..(1130)

<220>
<221> promoter
<222> (381)..(1321)
<223> Fragments and derivatives have promoter activity.

<220>
<221> 5'UTR
<222> (1131)..(1320)
<223> untranslated exon 1

<220>
<221> Intron
<222> (1321)..(1520)

<400> 17
tcccaatgca tcttttccca gtgggctctt ggattcatgc tgccatatga tctgctgata 60

ccatgcttca gtaccaagtt gattctttgc tcttgtcctg atgctgaaga cctaaaatga 120

tgaaaatgga aaaagaatga agaataagta tacacacacc cggcctgctt ttgcggatca 180

ggtgggtccc gccgggcgtc tgacactgaa gccacgcggg ggcttcagtg gggaggaggt 240

gtgggcgagc gcgagcgccg ctattccggc ccagccctac ctcggtcctt gcttttgtcc 300

tggtcactcg atcatttcct ctgtatccac ttctgaactc taggctctgt cccaccctga 360

acagtgtcgc tgcatctgtt tgcttactgg ggtctcccgc caccttccct cgctatccga 420

atagctgata ttcagggcag cacagggcag ggcagggcag ggcagggcga gtagggcaga 480

tcagatcctg ggaccaccgg tactaaccag tgagtgtaga aagcaggagg tgtcttttcc 540

tactgtagtt aggacagggc gggttggctc ttcttatgga caagatggaa aaggggtgca 600

ggtaggggca aagtgagaga cactcgaatt tgagagacag acagactcct aacagtgaag 660

gaaggaccaa gccaaaatca agcctgggca aagtctcagg cactaacttt gctgtgttgg 720

gtgatgggag gtaatctcgt cacaactttt caaaccacct cgttcccact gcaaggagac 780

accatcaagt gtttgaagat ggcaggggaa cctctcaaca aaacacacac acaaacgttt 840

tattatttta tatttatttt gcatgcaaag tactgtgttt cattatggca ttttcataca 900

tatgcgattg cacaaactct tgaaaatcat ccaagaaaca gcaaagcggg aaataatgtt 960

gtgggggggg ggcgcggagg agagagaaca gagactggag agagtgctgt cctccttgct 1020

gcgggggcca ggaagaggct aggagggcgg ggatgtcaac gccactagct cctccctcag 1080

gaaggacccc agggactctt atttttgtag ttttgcttgt ctgggccact atcggcccca 1140

gaacagatct gactgcctct ttcattcgcc cggaggtaga taggtgtgtc ttaggaggct 1200

ggagattctg ggtggagccc tagccctgcc ttttcttagc tggctgacac cttcccttgt 1260

agactcttct tggaatgaga agtaccgatt ctgctgaaga cctcgcgctc tcaggctctg 1320

ggtaggcaaa ggcgaggggg ctcgccatgg ctcgggttgt ccagggattg gggcatcagg 1380

actacgggag tctctgcctt ttgatagtgc ttccttacag ttatttttgg gagtagttgc 1440

ttcttcctga tgggagccgc gtgcgggtcc aagctatctt ttgcaagtaa caggtgtctg 1500

nnnnnnnnnn nnnnnnnnnn 1520

<210> 18
<211> 1207
<212> DNA
<213> Mus musculus

<220>
<221> Intron
<222> (1)..(653)

<220>
<221> 5'UTR
<222> (654)..(773)
<223> untranslated exon 2

<220>
<221> Intron
<222> (774)..(1207)

<400> 18
agccctaggt tgtcgttggc tacacagtga gttcataggc tgctagggat cctatctcaa 60

aaaggaaaac aaacaaacaa acaaagggtg ggcagggtta agccttgtcc ctcaggagca 120

ggtatgggtt tctgaggctg tcccaagtgc atatggtaaa ggcttctcta tggagattta 180

caccattttc taaagtgcag tgttccacat aactgtgtgg cttccagagc caggctgtgg 240

aggaagagct tatctcagaa ccacattttg gcgtcccatc aaagtgcctt gtccgctaac 300

ctgcctctgc cccaggctgt gtcatacgca tctccgggga ggcatcactt gagaatgagt 360

gcatctcaca gggctcccag ttttcccttg ggactgggtg atgtggaggg tggtggcctc 420

atcgcttgtg actcctggca tggtttggtc ctgcagtttt tcctctgggt gaggaagtca 480

gaggaccaac ccagagccct gattctgcct tgctgcgtag acctgaatca acagccctga 540

taaacagccc atttcccggg gctgagggaa caaagcctgt ggctgctgcc gagggatctg 600

tctgcccacc ccacccctcc tcttcctgaa acagctgttt attattttga caggagttgg 660

aaccctgtac cttcctttcc tctgctgagc cctgcctcct taggcaggcc agagctcgac 720

agaagctcgg ttgctttgct gtttgctttg gagggaacac agctgacgat gaggtatgtt 780

taaaggattt gtgtctccca gccttgggtc actgcgagct actgttaggt caccaaatgg 840

ttccacctga gggaggaccc ttgctctctt ccgaagcttt ccttggtccc ttctgtgatt 900

tgttgtcctt tccctttttgt ttctgaaaca ggggctggtg gaatgctggc tggggacttt 960

ggtattctgc ttctcttggc agcccccggg gctatgccag tcaaggctgc agcctggagt 1020

tctctgtgtg gggtttgggt tggcggggct gagtcttggg cagggcgcgg tgggagggtg 1080

ctgagtcttc tctgctctgg gctgtctcgt acatgtccgt tggctggctg ttcctgggag 1140

gtatcacttg agattgattg cattccacat gacactgctc ccagggacag cccggcactc 1200

nnnnnnn 1207

<210> 19
<211> 900
<212> DNA

<213> Mus musculus

<220>
<221> Intron
<222> (1)..(336)

<220>
<221> misc_feature
<222> (337)..(517)
<223> untranslated exon 3

<220>
<221> Intron
<222> (518)..(900)

<400> 19
ttccggcatc tttaagatct tgatgtaccc aagtcaactt cagcttcaca gcttcttgtt 60

tcaatgtctg ggatccacac ctgatcttct gggatcctcc aaagggcttg ggtcacttct 120

ccatctctgc cctctgtagt actctaggct ctagttgact ccactccact gctgctgctg 180

ttcttggtga tcatcctatg gtactggcaa gtaggtgaaa gaagaagagt gaatattcct 240

tcacccaatg tccttatgta ggcctccagc agaaggtgtg gctcagatta aaggtgtcta 300

cccccatgcc tggatctaaa acttgctttg ttccaggctg actttgaact caagagatct 360

gcttacccca gtctcctgga attaaaggcc tgtactacat ttgcctggac ctaagatttt 420

catgatcact atgcttcaag atctccatgt caacaagatc tccatgtcaa gatccaagtc 480

agaaacaagt cttccatcct caagatctgg atcacaggtg tgcccttctg tttctggatt 540

atagttcatc ccagatgtag tcaagttgac cactaggaat agccatcaca agcccgttgt 600

ggaggctgcc ccctgccccc cgccccgcgc gcccctgagg ctctcacccc tttcttgtgg 660

cagctcttgt cttcatctcc agtgtacaac tgtcattccc actctgcatc ttgccttcct 720

gaacaatcac cgtcccaaag ttcttctcag tcttttgtta tcctcttccc tttctttcac 780

aatcttatgc agaatttaaa aaatacctga ctccttcagt agttccagtt gtttgctggc 840

ttgtgggggg tgtagtgggg tgaaccaggt ggggctgaaa agtgggtgca nnnnnnnnnn 900

<210> 20
<211> 1020
<212> DNA
<213> Mus musculus

<220>
<221> Intron
<222> (1)..(479)

<220>
<221> misc_feature
<222> (480)..(568)

<220>
<221> 5'UTR
<222> (480)..(489)

<220>
<221> misc_feature
<222> (490)..(492)
<223> This "atg" is the translation initiation codon

<220>
<221> Intron
<222> (569)..(1020)

<400> 20

tctctttcca atgcccacat ggatgggctt cagcatcctt tcagatcatg aagcctcatt 60

aactgtgctg gcctaattgg ccatgactag tttgtgtgct tgagggatag ggggagggga 120

gacacttgtc gctgagtgag ttacaaatgt atcctgttag gaaggatgtg ggcagatgcc 180

tttcattatc tttactgcat caaacatttt atgggtatga gtgttttgcc tgcaagtatg 240

tatatgtacc acttgtatat gtggacccca tggaggccag aagagcatca ggtcctgtga 300

aaccagagtt atggacacct gtgagctgca aatgtggatg ctgggaactg aatcgagcag 360

gtgtttcatt gaggtgtttc aaccacacag ctgtttctcc agccccagaa gccatctctc 420

attccagatt tagtttattt aatctatttc cccctctttt tttctccctg cctctacagg 480

agaaaataat gaatgtcaag ggaaaagtaa tcctgttgat gctgattgtc tcaaccgtgg 540

ttgtcgtgtt ttgggaatat gtcaacaggt aattatgaag ccagctagaa aggctgcttt 600

cattccctgt gactggtgcc agctgagtga ccaatcagtc tgaacataag ggacggagcc 660

gtgagcagga gtccagtctt cctgtgttcc tgagccccag atggccatta aaactgtaga 720

ccatccaagt cacttctgcc ttagtaatta tcctctttca tgccgtgctc ctcaaacctc 780

gaatttctgt aagctagatg gagagagaaa gtacattaag ccaaaaccac catctcaagt 840

aatttgtata agcagatccc agaagattca ggccaggcag ggtagtgcat gtatggagtc 900

cttgtgcttg caaggcagag gcaggagcat catacaaatg gaagaccaag cttgtcttca 960

tagtgacttc caggccagct gtagccttac aaggagaccc nnnnnnnnnn nnnnnnnnnn 1020

<210> 21

<211> 1020

<212> DNA

<213> Mus musculus

<220>
<221> Intron
<222> (1)..(584)

<220>
<221> misc_feature
<222> (585)..(620)
<223> exon 5

<220>
<221> Intron
<222> (621)..(1020)

<400> 21
tggccacact agctttttac cagttcttcc caggcaaatt ccttagccag gatgtatgtt 60

gctgtatgtt gccttctctg ttacattgta tatttttcat gagccccagc actcggtgtg 120

taggacttgc ctagcacgtg taagactgat gagagctagt gccctaaagt agttgtagct 180

ggcctagcct tctggttaaa gcaacaccca tgggggctgc tcagaagaag ggatctgagc 240

tgaatgtggc ggctatttcc tgtggggaag aatcctcagc ctgaggtggc tggccgtggc 300

gcttccacct tccccgcctt cctcattgcc cagcttctgg gactgtggtg gaagaggacc 360

ttcctgtcat gtaacaaaca gctgggtgac tttaaaagag agaaagaggg aaaaaaatcc 420

cccaaataaa aacaagaatt gagagtgttt gggtgcccac ttctgttcct cagtgatgct 480

tgtgggaatc ccctgagaac ccaaacgctt aaggaaaacc actgcagtga agcctttctg 540

agaattaaaa gtatatgacg tttctatttc ttatttgtcc ttagcccaga cggctctttc 600

ttgtggatat atcacacaaa gtaagtgttc tgaattctgt gtatctattg gatgtctgga 660

tcacttgatt ttttttttt agcccctaaa gttgatttcc tctcttcaag ccagccaatg 720

tagtgctcgg gccacagtaa agggaggaga gaggccagga cagggaggag gattgctagg 780

gccctggggt cagggctgca actctgctag tccccaaact ggtctttgta gaatagtgat 840

gagttttgct ctcggttctg ctcaggggac tctcctcaaa tattgtcatg gggaccattt 900

ttggttgacg tagggaaaga gcccagggaa ctgcatgctg tagtgtgtac cctcagtgct 960

gctgtgaggc actgagggag gacttacgtt cagttccagt nnnnnnnnnn nnnnnnnnnn 1020

<210> 22
<211> 1020
<212> DNA
<213> Mus musculus

<220>
<221> Intron
<222> (1)..(595)

<220>
<221> misc_feature
<222> (596)..(661)
<223> exon 6

<220>
<221> Intron
<222> (662)..(1020)

<400> 22
cagatttcct gagctttcat tgattgggca atgggatttt tttctcagat taatctctat 60

aatacatgca tgtatacaga cacacacaga cacacacgca tgcagtcatt ctcgggaagg 120

tgctttttct tattttaata ttacccctcg ttacagccgc tttatgttca ccaggctctt 180

gcatatctgc tgtctcattg gtcattacag atcccttcgt ggacggatta ttattgatta 240

ccctcttcag agaagaacgt ggcagtttag acagtgtgag tgtatgccaa agtcactcca 300

ctagcaggag gagatcgtga ccacaggctc tcagatctgc agggtctcca ccattctgat 360

ttccctgccc cttatccttc aggggtccca gggatgagca gagtgctcag ggctgcccag 420

aagggcgcag ctgaggcccc tcaagtccac tctctgcctt tagctcagct gccttttgcg 480

tgtccatgtt tcatgagctg catcttgacg ttcacttttt ctagtgctac ccgaccctta 540

aagttcagga ccgcctcgat ttctagatgt gtttatattc tttttcattt cctagaattc 600

cagaggttgg tgagaacaga tggcagaagg actggtggtt cccaagctgg tttaaaaatg 660

ggtaagggat caggatgggt tcctaagtcc ctgaaaccca cagaggaccc atggcctcct 720

ccctcccttc ttctggctca ctggactcac tcatggagtc tccccattgc tgttgttgtt 780

tttgttgttg ttagcttcta ttgttattgt gaggggtggg gagtgtgttt gtgtgtatga 840

cgtgtgtatg attgcagctg tgtgtacacc atagtactca tcggaggtca gaaggcactt 900

tcaggaggca attctgcctt tccagtacgg gttccagtgt gtgatcacca gactcagatg 960

ctcaggcttt caggacaagc agttttacag gatgagccat nnnnnnnnnn nnnnnnnnnn 1020

<210> 23
<211> 912
<212> DNA
<213> Mus musculus

<220>
<221> Intron

<222> (1)..(389)

<220>
<221> misc_feature
<222> (390)..(491)
<223> exon 7

<220>
<221> Intron
<222> (492)..(912)

<400> 23
ccttcttccc actccctcct ccccccccttc ctgtctgcct tcctccttcc tctgcccttt 60

cttctccagt taagggtgaa gttcaggctg aagtggaaat ttcagaatag acacagaaca 120

gaaatgtccc ttggagtact gttctgaaac atctcaccga cttctgaaat aactgagggt 180

tacagggtca ctggaacctc agcccctgac ccacatggtg gccagagagg caaatgctgt 240

acctttatc agaagtgtgt agggatcaag gggtcagtgc cctgagtcct ccagtccacc 300

cagtggtgtg agtgatgcct tctttccctt gagacacgag tcatggaagc cacctgtcct 360

taccaacttt gtcctacctt tgtccacagg acccacagtt atcaagaaga caacgtagaa 420

ggacggagag aaaagggtag aaatggagat cgcattgaag agcctcagct atgggactgg 480

ttcaatccaa agtaaggacg gacaggagat tggggtgggg ggtgctgagt ggggttctga 540

ggagatgctg aggggagtgc tgaggggggtg ccggcaggag ggggtgctgg caggagaggg 600

tgctggcagg agggggtgct ggcaggaggg gatgctggca ggaggggggtg ctggcaggag 660

gggatgctgg caggaggggg tgctggcagg aggggatgct ggcaggagtg ggtagacctt 720

cctcaatggg ctttggctaa gaaactaaga tctgggtgct ttgaaccaga ctgaacactg 780

tggtaattgc agcaggaaat ggccagtggt aggttaaaca taaacactgg gtgttaagga 840

ctttacaggc cacataggat gctgctgaga aaatgacaag gtctaagggt gagccaagaa 900

nnnnnnnnnn nn 912

<210> 24
<211> 608
<212> DNA
<213> Mus musculus

<220>
<221> Intron
<222> (1)..(221)

<220>
<221> misc_feature
<222> (222)..(359)
<223> exon 8

<220>
<221> Intron
<222> (360)..(608)

<400> 24
catccaggac ctactatctt tgtacttcac tctgtgtcaa gagttggagg taccctacgc 60

atttgtgcct ggcccttgcc aagactccac cccttctgta cttcctgtct ttcatgcagg 120

caagattcag tgacagtcac tggcctccct tccttggcca gtctctcacc acacctcagt 180

gtaatgcttc tgactcggtg ttgcatgctt cttctcacca ggaaccgccc ggatgttttg 240

acagtgaccc cgtggaaggc gccgattgtg tgggaaggca cttatgacac agctctgctg 300

gaaaagtact acgccacaca gaaactcact gtggggctga cagtgtttgc tgtgggaaag 360

taagcaccac tgacaaactc acccttgatg atttgttctt gttctagcat caaaggattt 420

gtgtggggct ccagggcccc acaaaggctg gaatttgaca gtagacttcc cccttctttc 480

ttataatggc tgagaaaaaa caatgatagt aggtgatgag gtatttctct gccagtgagt 540

gagccaatcc aagccagagt agattgtatt aaatacaggt ttattgggaa gctgctctca 600

nnnnnnnn 608

<210> 25
<211> 3240
<212> DNA
<213> Mus musculus

<220>
<221> Intron
<222> (1)..(369)

<220>
<221> misc_feature
<222> (370)..(3010)
<223> exon 9

<220>
<221> terminator
<222> (1088)..(1090)

<220>
<221> 3'UTR
<222> (1091)..(3010)

<220>
<221> Intron

<222> (3011)..(3240)

<400> 25

ttagcagata cactggcctc ttctggatat tcaagagcta gctccttctc tgacagccag 60

cttctcaatc agagaacaga gccttagcat gaaccttact gcaacgcaga gtagttgaga 120

acaccgagct ctcagtgtgg caggcatcga agagcacgcg gtcggggctg tgcatcccca 180

gtttgcttaa caaagctggc agtgagataa gtcatgccac tttccccaag gacacaatga 240

ccagctagtg tcgagtggta tgtggagaag ccatcccctc ctaacataca atacagatca 300

tctactgtaa tgttaagtat ggtattacat gtatatatgt acccatatat aagtgtgata 360

gtccgtggtg gttcaatgta gccctctcta tttcaggtac attgagcatt acttagaaga 420

ctttctggag tctgctgaca tgtacttcat ggttggccat cgggtcatat tttacgtcat 480

gatagatgac acctcccgga tgcctgtcgt gcacctgaac cctctacatt ccttacaagt 540

ctttgagatc aggtctgaga agaggtggca ggatatcagc atgatgcgca tgaagaccat 600

tggggagcac atcctggccc acatccagca cgaggtcgac ttcctcttct gcatggacgt 660

ggatcaagtc tttcaagaca acttcggggt ggaaactctg ggccagctgg tagcacagct 720

ccaggcctgg tggtacaagg ccagtcccga gaagttcacc tatgagaggc gggaactgtc 780

ggccgcgtac attccattcg gagaggggga tttttactac cacgcggcca tttttggagg 840

aacgcctact cacattctca acctcaccag ggagtgcttt aaggggatcc tccaggacaa 900

gaaacatgac atagaagccc agtggcatga tgagagccac ctcaacaaat acttcctttt 960

caacaaaccc actaaaatcc tatctccaga gtattgctgg gactatcaga taggcctgcc 1020

ttcagatatt aaaagtgtca aggtagcttg gcagacaaaa gagtataatt tggttagaaa 1080

taatgtctga cttcaaattg tgatggaaac ttgacactat tactctggct aattcctcaa 1140

acaagtagca acacttgatt tcaactttta aaagaaacaa tcaaaaccaa aacccactac 1200

catggcaaac agatgatttc tcctgacacc ttgagcctgt aatatgtgag aaagagtcta 1260

tggcaagtaa tcaggtataa attctcaatg atttcttata tattctgggt cttgggaaaa 1320

cttgattcta gaaatcaaaa ttaatttgac aaaggaaaag cagatgccgg aaacttcttc 1380

ccagtctgtc atacaattca ccactggcca ggtgctgaga gaagcattag ggaacagtgt 1440

gggttgtgtc agagttggac ggctccatcc ctttggcttc attatcttcc tcctcatgga 1500

gattctaaag caacccagag aggctttgca gccagagacc tttaataagg atgccaatgt 1560

gaccatcagt ctgtaaaagc tgatggctcc aggagcgctg gcagtccagg ccccactagg 1620

ctattgtttc tgtcctgggc ataaaggagg cagagagtgc caataggtac tttggtggca 1680

catgttcaga gtccaggaaa aatcaagggt gaccacttag agggacatag gacttggggt 1740

tggtgattga actgagttac aaacacagac agctttcttc aggatgacta acagcaggaa 1800

ttgaatggaa agtgtgttca ttttgttttg cccaaattgt attcatgctg ttagctttgt 1860

gtgttgagcc ctgtggagag ggtgtgactg tatcagggaa ggagagtacc tcagcggact 1920

gaggaccagc accctattat atcagaagac aatctctcat catcaggtcc tacctacaac 1980

ctgctctgaa cctccgagtt cctcagccca tcgtgttcca gtgtgggggc ctgtatggag 2040

caggtgactg aagacaaagc cccctgtcac atgacctcat ttcccctgct ctagtactat 2100

gcaagtgtga cagccagcca gccagatgta ctggacaaca taggaaccga ctttatggca 2160

atgggagccg cagtcactac aacggagctg ctgaaggttc tgttccccgc tctgagagcc 2220

tgcaggagcc cctgtatagg tggttctcaa cctatgggtc gcgacccctt tgggaagtgt 2280

taaatgaccc tttcacaggt gtcccctaag acggttaaaa aacatagata tttccactct 2340

gactggtaac agtagcagaa ttacagttat gaaatagcaa gggaaataat tctggggttc 2400

gtgtcatcca taccatgagg agctacatta ggtcacatca ttagggaagt tgagaagcat 2460

agctctactt gggtatttaa gcaaattatg caaaggggt tgtcgctctg tgttctgtgt 2520

atgcatatat ttatattttg cttgtcttcc agtttaggtc aatctgtttc ttcctttaag 2580

cagtttattt aaaaggccat tgcaccatct tggtgaacag catgaggggt ttcaataaaa 2640

aataggatct tacctttgtc cacagggctc tacctcttac ttttcaattg tgaacaaaaa 2700

aggtcgcaca cccagaggca acaaaaccca cagaattcct gaaccaatgg gagatgccaa 2760

tggaagcaga gcttgcacat ctgctaaaaa ttctgcctct ctgtcactgt gctggatccg 2820

tctaaagtgg gacagttcaa tggtctgaaa gtttcaaaaa ggctggggaa tttgagggga 2880

ttttttttta aaataaaatt gatccaagtt taaatctcta atgagtaagc ttaggatttt 2940

attaaaggta atttttagac attcttcaaa ataagaattc ttgtttataa ttgaataaat 3000

tattttctca gtatattttg gtctggtatg gattatgcgt tgtatcctga agatgttcag 3060

aagtgtcagt tgtgattgtc cataatcata aaggatttta cgataccttg aatgagcttc 3120

acaaagacaa gattacaaag aacaggcttt attctcaaat tataaagtgt gctctctctc 3180

aatctctctc tctctctctc nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 3240

<210> 26

<211> 3537

<212> DNA

<213> Mus musculus

<400> 26

atcggcccca gaacagatct gactgcctct ttcattcgcc cggaggtaga taggtgtgtc 60

ttaggaggct ggagattctg ggtggagccc tagccctgcc ttttcttagc tggctgacac 120

cttcccttgt agactcttct tggaatgaga agtaccgatt ctgctgaaga cctcgcgctc 180

tcaggctctg ggagttggaa ccctgtacct tcctttcctc tgctgagccc tgcctcctta 240

ggcaggccag agctcgacag aagctcggtt gctttgctgt ttgctttgga gggaacacag 300

ctgacgatga ggctgacttt gaactcaaga gatctgctta ccccagtctc ctggaattaa 360

aggcctgtac tacatttgcc tggacctaag attttcatga tcactatgct tcaagatctc 420

catgtcaaca agatctccat gtcaagatcc aagtcagaaa caagtcttcc atcctcaaga 480

tctggatcac aggagaaaat aatgaatgtc aagggaaaag taatcctgtt gatgctgatt 540

gtctcaaccg tggttgtcgt gttttgggaa tatgtcaaca gcccagacgg ctctttcttg 600

tggatatatc acacaaaaat tccagaggtt ggtgagaaca gatggcagaa ggactggtgg 660

ttcccaagct ggtttaaaaa tgggacccac agttatcaag aagacaacgt agaaggacgg 720

agagaaaagg gtagaaatgg agatcgcatt gaagagcctc agctatggga ctggttcaat 780

ccaaagaacc gcccggatgt tttgacagtg accccgtgga aggcgccgat tgtgtgggaa 840

ggcacttatg acacagctct gctggaaaag tactacgcca cacagaaact cactgtgggg 900

ctgacagtgt ttgctgtggg aaagtacatt gagcattact tagaagactt tctggagtct 960

gctgacatgt acttcatggt tggccatcgg gtcatatttt acgtcatgat agatgacacc 1020

tcccggatgc ctgtcgtgca cctgaaccct ctacattcct tacaagtctt tgagatcagg 1080

tctgagaaga ggtggcagga tatcagcatg atgcgcatga agaccattgg ggagcacatc 1140

ctggcccaca tccagcacga ggtcgacttc ctcttctgca tggacgtgga tcaagtcttt 1200

caagacaact tcggggtgga aactctgggc cagctggtag cacagctcca ggcctggtgg 1260

tacaaggcca gtcccgagaa gttcacctat gagaggcggg aactgtcggc cgcgtacatt 1320

ccattcggag agggggattt ttactaccac gcggccattt ttggaggaac gcctactcac 1380

attctcaacc tcaccaggga gtgctttaag gggatcctcc aggacaagaa acatgacata 1440

gaagcccagt ggcatgatga gagccacctc aacaaatact tccttttcaa caaacccact 1500

aaaatcctat ctccagagta ttgctgggac tatcagatag gcctgccttc agatattaaa 1560

agtgtcaagg tagcttggca gacaaaagag tataatttgg ttagaaataa tgtctgactt 1620

caaattgtga tggaaacttg acactattac tctggctaat tcctcaaaca agtagcaaca 1680

cttgatttca acttttaaaa gaaacaatca aaaccaaaac ccactaccat ggcaaacaga 1740

tgatttctcc tgacaccttg agcctgtaat atgtgagaaa gagtctatgg caagtaatca 1800

ggtataaatt ctcaatgatt tcttatatat tctgggtctt gggaaaactt gattctagaa 1860

atcaaaatta atttgacaaa ggaaaagcag atgccggaaa cttcttccca gtctgtcata 1920

caattcacca ctggccaggt gctgagagaa gcattaggga acagtgtggg ttgtgtcaga 1980

gttggacggc tccatccctt tggcttcatt atcttcctcc tcatggagat tctaaagcaa 2040

cccagagagg ctttgcagcc agagaccttt aataaggatg ccaatgtgac catcagtctg 2100

taaaagctga tggctccagg agcgctggca gtccaggccc cactaggcta ttgtttctgt 2160

cctgggcata aaggaggcag agagtgccaa taggtacttt ggtggcacat gttcagagtc 2220

caggaaaaat caagggtgac cacttagagg gacataggac ttggggttgg tgattgaact 2280

gagttacaaa cacagacagc tttcttcagg atgactaaca gcaggaattg aatggaaagt 2340

gtgttcattt tgttttgccc aaattgtatt catgctgtta gctttgtgtg ttgagccctg 2400

tggagagggt gtgactgtat cagggaagga gagtacctca gcggactgag gaccagcacc 2460

ctattatatc agaagacaat ctctcatcat caggtcctac ctacaacctg ctctgaacct 2520

ccgagttcct cagcccatcg tgttccagtg tgggggcctg tatggagcag gtgactgaag 2580

acaaagcccc ctgtcacatg acctcatttc ccctgctcta gtactatgca agtgtgacag 2640

ccagccagcc agatgtactg gacaacatag gaaccgactt tatggcaatg ggagccgcag 2700

tcactacaac ggagctgctg aaggttctgt tccccgctct gagagcctgc aggagcccct 2760

gtataggtgg ttctcaacct atgggtcgcg acccctttgg gaagtgttaa atgacccttt 2820

cacaggtgtc ccctaagacg gttaaaaaac atagatattt ccactctgac tggtaacagt 2880

agcagaatta cagttatgaa atagcaaggg aaataattct ggggttcgtg tcatccatac 2940

catgaggagc tacattaggt cacatcatta gggaagttga gaagcatagc tctacttggg 3000

tatttaagca aattatgcaa agggggttgt cgctctgtgt tctgtgtatg catatattta 3060

tattttgctt gtcttccagt ttaggtcaat ctgtttcttc ctttaagcag tttatttaaa 3120

aggccattgc accatcttgg tgaacagcat gaggggtttc aataaaaaat aggatcttac 3180

ctttgtccac agggctctac ctcttacttt tcaattgtga acaaaaaagg tcgcacaccc 3240

agaggcaaca aaacccacag aattcctgaa ccaatgggag atgccaatgg aagcagagct 3300

tgcacatctg ctaaaaattc tgcctctctg tcactgtgct ggatccgtct aaagtgggac 3360

agttcaatgg tctgaaagtt tcaaaaaggc tggggaattt gaggggattt ttttttaaaa 3420

taaaattgat ccaagtttaa atctctaatg agtaagctta ggattttatt aaaggtaatt 3480

tttagacatt cttcaaaata agaattcttg tttataattg aataaattat tttctca 3537

<210> 27
<211> 3135
<212> DNA
<213> Homo sapiens

<400> 27
gtggctgatc agagcgcgta gggcttcgcc ggggccggga gctgggcgcg gtcctgctca 60

gcccagctca ccgcgcgccg gccctcggcg ccctcggcgc cctggttctg cggatcagga 120

gaaaataatg aatgtcaaag gaaaagtaat tctgtcaatg ctggttgtct caactgtgat 180

cattgtgttt tgggaattta tcaacagcac agaaggctct ttcttgtgga tatatcactc 240

aaaaaaccca gaagttgatg acagcagtgc tcagaagggc tggtggtttc tgagctggtt 300

taacaatggg atccacaatt atcaacaagg ggaagaagac atagacaaag aaaaaggaag 360

agaggagacc aaaggaagga aaatgacaca acagagcttc ggctatggga ctggtttaat 420

ccaaaatata atgatcatta cttggaggag ttcataacat ctgctaatag gtacttcatg 480

gttggccaca aagtcatatt ttacatcatg gtggatgatg tctccaagct gccgtttata 540

gagctgggtc ctctgcattc cttcaaaatg tttgaggtca agccagagaa gaggtggcaa 600

gacatcagca tgatgcgtat gaagatcact ggggagcaca tcttggccca catccaacac 660

gaggtcgact tcctcttctg catggatgtg gaccaggtct tccaagacca ttttggggtg 720

gagaccctag gccagtcagt ggctcagcta caggctggcg gtacaaggca gatccctatg 780

actttaccta ggagaggtgg aaagagtcag caggatacat tccatttggc caggggattt 840

ttattaccat gcagccattt ctggaggaac acccattcag gttctcaaca tcacccagga 900

gtgctttaag ggaatcctcc tggacaagaa aaatgacata gaagccaagt ggcatgatga 960

aagccaccta aacaagtatt tccttctcaa taaaccctct aaaatcttat ccctaaaata 1020

ctgctgggat tatcatatag gcctgccttc agatattaaa actgtcaagt gatcgtggca 1080

gacaaaagag tataatttgg ttagaaataa tgtctgactt caaattgtgc cagtagattt 1140

ctgaatttaa gagagagaat attctggcta cttcctcaga aaagtaacac ttaattttaa 1200

cttcaaaaaa tactaatgaa acaccaacag ggcaaaaaca taccattcct ccttgtaact 1260

tggggctttg taatgtggaa gaatgaatct agggcaatca gatataaatt cccagtgatt 1320

tcttatctat tctgggtttg ggggaaatac tatcaactga accaaaaata acttgtcata 1380

ggcagagata aagccagaaa cactctacac atgccagatg acatctggag aaaagggtgc 1440

taagggaagc gtttggcagc aagatatgat tgtaaggggt tgtcccttga gttcaatgtc 1500

tgcctatttc tgatgggtct aaagcaacat ggagttactg tgcagcagaa ctctcagtaa 1560

agacaccatt tgccttggca atcctcaaaa agcttcaata gcagattgct tcagaccatc 1620

tgtagtccgt ccttttctca tctggatgtt gtttggcttc tgtgcgaaag attggtggag 1680

tgtcccagta gatatcatgg tggtgtgtga tcagagtccc aaggaacctg aatgagccaa 1740

ggtgcccagc atgaagtcaa aacaaagcct tgacatgagt ttgccatgaa atagcgaaga 1800

gagagtggaa gagaggagcc aatcactgtg gggcagtgcc accctgaggg cacttagggt 1860

atggggttgg tgcttaaata catcacagat ccaggtactg aatgggagga agtgtgggtg 1920

atttccaatc tcattgaccc tatgttcagg gacttgaacg gaagatgttt cttgtgttgc 1980

ctaagtggta ttcagtctac cagactctgc aacttgcatc ttcaaatcct tggtaaagag 2040

atgtggatgg tgtcagagaa ggcaaaggcc tgcagtggat tgaagaggct tgcaagcagt 2100

tctgtttcta ggatgtgggc ttcatcagaa gacactcggt caccacttag ctagtctaaa 2160

cctcagggtt cctcagccca tcatacccca acttggagga ctgacatcaa ggagtagact 2220

ggagaaacag ccctcccatc aagtaacctc ttgttctctc ctgctccatc tgcactatag 2280

aagtgtaata attagacata cttggcaaaa tggctaattg atttggtaac agaagcatga 2340

gccataacaa tggaagatct agttatcatg actgaacagc ttaacattca attcccttct 2400

ctaagagaag ctgtgaaatc ctacatatta tttaaagtta accaaatcaa tgtaaaggga 2460

gttaggagac agtgtgtacc tatgcacgta tatttatgtt ttgcttgtgt tccagtctcg 2520

gtcatttgtt tccattttca agcaatttat ttgaagagcc attgcactag cctgatgtat 2580

actgcaatga gcttctttga taaaatgaaa cttaaatttt tctcgaccat ttcaccgtgc 2640

ctcctacttc atttttttgcc agaaaatctc acatccaaca aaacaaaaca aaaaccctga 2700

attagtgggc tttgaaaagg aaaaagcagg gctttgaaaa agtagatcac acatcagtta 2760

agactcctgc ttctctatta gtcaggttgt cttggattca gtctggagta ggcagagctt 2820

aagggttttt aagtcctgac ccaaagaaat gatctagcct gaaagtttag agcaaaggac 2880

taatgtttac ttttaaagga atttcttgat ttttttaaaa aacttcatta aagtttaaat 2940

ccccaatgga caaattcata atcttgttaa tcgttattac taaacttttt aaaaaatgtc 3000

ccaatttaca attaaataaa ttactttctc agtatattct ggtctggtca tggattgtgc 3060

atttcctccc aaagatattc aaaattgtca attagagaat tttaggtttt cagactcaga 3120

aaagtcctca cgccc 3135

<210> 28
<211> 3558
<212> DNA
<213> Homo sapiens

<400> 28
ctcagactga atacatggcc cactgtcgct ccagccatct caaatggaac gacctgttct 60

ctgaagtata tcttacagtg ctttctctcg aatccccttt gggaaatcta aaggctgaat 120

ccagccagct tttccatgct gcctggtctg gaaatcactg caagggtttt tcccagagaa 180

ccaaagtaag ataaatgaaa gatgctacac aattctgctg agggctctgt ctactcccca 240

tctcctgaaa cagctgttta ttctttcgac aggagttgaa accagcacct tccctttctc 300

tgagtcctgc ctccttctgc ggaagggagc tcaaaagaac tttgttgttt tgccttttac 360

tctggggtga aagcggcagg aggtatgtga gatggtgaaa tgatttgctt ctgccatgct 420

ggggtcacgg gtggatcgcc ctaaactctc ggtggccccc tcagtagttt tggaagagga 480

ccaagtcctt gtctctccag cagtggacct ggaagaagga tgccggctca gggacttcac 540

tgagaaaata atgaatgtca aaggaaaagt aattctgtca atgctggttg tctcaactgt 600

gatcattgtg ttttgggaat ttatcaacag cacagaaggc tctttcttgt ggatatatca 660

ctcaaaaaac ccagaagttg atgacagcag tgctcagaag ggctggtggt ttctgagctg 720

gtttaacaat gggatccaca attatcaaca aggggaagaa gacatagaca aagaaaaagg 780

aagagaggag accaaaggaa ggaaaatgac acaacagagc ttcggctatg ggactggttt 840

aatccaaaat ataatgatca ttacttggag gagttcataa catctgctaa taggtacttc 900

atggttggcc acaaagtcat attttacatc atggtggatg atgtctccaa gctgccgttt 960

atagagctgg gtcctctgca ttccttcaaa atgtttgagg tcaagccaga gaagaggtgg 1020

caagacatca gcatgatgcg tatgaagatc actggggagc acatcttggc ccacatccaa 1080

cacgaggtcg acttcctctt ctgcatggat gtggaccagg tcttccaaga ccattttggg 1140

gtggagaccc taggccagtc agtggctcag ctacaggctg gcggtacaag gcagatccct 1200

atgactttac ctaggagagg tggaaagagt cagcaggata cattccattt ggccagggga 1260

ttttttattac catgcagcca tttctggagg aacacccatt caggttctca acatcaccca 1320

ggagtgcttt aagggaatcc tcctggacaa gaaaaatgac atagaagcca agtggcatga 1380

tgaaagccac ctaaacaagt atttccttct caataaaccc tctaaaatct tatccctaaa 1440

atactgctgg gattatcata taggcctgcc ttcagatatt aaaactgtca agtgatcgtg 1500

gcagacaaaa gagtataatt tggttagaaa taatgtctga cttcaaattg tgccagtaga 1560

tttctgaatt taagagagag aatattctgg ctacttcctc agaaaagtaa cacttaattt 1620

taacttcaaa aaatactaat gaaacaccaa cagggcaaaa acataccatt cctccttgta 1680

acttggggct ttgtaatgtg gaagaatgaa tctagggcaa tcagatataa attcccagtg 1740

atttcttatc tattctgggt ttgggggaaa tactatcaac tgaaccaaaa ataacttgtc 1800

ataggcagag ataaagccag aaacactcta cacatgccag atgacatctg gagaaaaggg 1860

tgctaaggga agcgtttggc agcaagatat gattgtaagg ggttgtccct tgagttcaat 1920

gtctgcctat ttctgatggg tctaaagcaa catggagtta ctgtgcagca gaactctcag 1980

taaagacacc atttgccttg gcaatcctca aaaagcttca atagcagatt gcttcagacc 2040

atctgtagtc cgtccttttc tcatctggat gttgtttggc ttctgtgcga aagattggtg 2100

gagtgtccca gtagatatca tggtggtgtg tgatcagagt cccaaggaac ctgaatgagc 2160

caaggtgccc agcatgaagt caaaacaaag ccttgacatg agtttgccat gaaatagcga 2220

agagagagtg gaagagagga gccaatcact gtggggcagt gccaccctga gggcacttag 2280

ggtatggggt tggtgcttaa atacatcaca gatccaggta ctgaatggga ggaagtgtgg 2340

gtgatttcca atctcattga ccctatgttc agggacttga acggaagatg tttcttgtgt 2400

tgcctaagtg gtattcagtc taccagactc tgcaacttgc atcttcaaat ccttggtaaa 2460

gagatgtgga tggtgtcaga gaaggcaaag gcctgcagtg gattgaagag gcttgcaagc 2520

agttctgttt ctaggatgtg ggcttcatca gaagacactc ggtcaccact tagctagtct 2580

aaacctcagg gttcctcagc ccatcatacc ccaacttgga ggactgacat caaggagtag 2640

actggagaaa cagccctccc atcaagtaac ctcttgttct ctcctgctcc atctgcacta 2700

tagaagtgta ataattagac atacttggca aaatggctaa ttgatttggt aacagaagca 2760

tgagccataa caatggaaga tctagttatc atgactgaac agcttaacat tcaattccct 2820

tctctaagag aagctgtgaa atcctacata ttatttaaag ttaaccaaat caatgtaaag 2880

ggagttagga gacagtgtgt acctatgcac gtatatttat gttttgcttg tgttccagtc 2940

tcggtcattt gtttccattt tcaagcaatt tatttgaaga gccattgcac tagcctgatg 3000

tatactgcaa tgagcttctt tgataaaatg aaacttaaat ttttctcgac catttcaccg 3060

tgcctcctac ttcatttttt gccagaaaat ctcacatcca acaaaacaaa acaaaaaccc 3120

tgaattagtg ggctttgaaa aggaaaaagc agggctttga aaaagtagat cacacatcag 3180

ttaagactcc tgcttctcta ttagtcaggt tgtcttggat tcagtctgga gtaggcagag 3240

cttaagggtt tttaagtcct gacccaaaga aatgatctag cctgaaagtt tagagcaaag 3300

gactaatgtt tacttttaaa ggaatttctt gatttttta aaaaacttca ttaaagttta 3360

aatccccaat ggacaaattc ataatcttgt taatcgttat tactaaactt tttaaaaaat 3420

gtcccaattt acaattaaat aaattacttt ctcagtatat tctggtctgg tcatggattg 3480

tgcatttcct cccaaagata ttcaaaattg tcaattagag aattttaggt tttcagactc 3540

agaaaagtcc tcacgccc 3558

<210> 29
<211> 852
<212> DNA
<213> Homo sapiens

<400> 29
gtggctgatc agagcgcgta gggcttcgcc ggggccggga gctgggcgcg gtcctgctca 60

gcccagctca ccgcgcgccg gccctcggcg ccctcggcgc cctggttctg cggatcagga 120

gaaaataatg aatgtcaaag gaaaagtaat tctgtcaatg ctggttgtct caactgtgat 180

cattgtgttt tgggaattta tcaacagcac agaaggctct ttcttgtgga tatatcactc 240

aaaaaaccca gaagttgatg acagcagtgc tcagaagggc tggtggtttc tgagctggtt 300

taacaatggg atccacaatt atcaacaagg ggaagaagac atagacaaag aaaaaggaag 360

agaggagacc aaaggaagga aaatgacaca acagagcttc ggctatggga ctggtttaat 420

ccaaacttga aggaatccga ataactaaac tggactctgg ttttctgact cagtccttct 480

agaagacctg gactgagaga tcatgcggtt aaggagtgtg taacaggcgg accacctgtt 540

gggactgcga gattctcaag gggaaggact gggtctcatt tctcccatct cagcgcttag 600

caggatgacc tggtatagag cagggaactg ggaaatgtgg gtcaggggat cagacactcc 660

agttgggtct tttatataaa ttaaatggca aaaggctcca tacccttctc cttctttcct 720

accctccact ttatctgcaa aatgggaatg atgataacac ccacttcata gaatggtcat 780

gaagatcaaa tgagagaata aaagtcaagc acttagcctc tggtgcacaa taagtattaa 840

ataagtatac ct 852

<210> 30
<211> 1232
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(118)
<223> This is exon 1

<220>
<221> misc_feature
<222> (119)..(207)
<223> This is exon 4

<220>

<221> misc_feature
<222> (208)..(243)
<223> This is exon 5

<220>
<221> misc_feature
<222> (244)..(309)
<223> This is exon 6

<220>
<221> misc_feature
<222> (310)..(425)
<223> This is exon 7

<220>
<221> misc_feature
<222> (426)..(1232)
<223> This is exon 8b

<220>
<221> misc_feature
<222> (797)..(802)
<223> putative polyadenylation signal

<400> 30
gtggctgatc agagcgcgta gggcttcgcc ggggccggga gctgggcgcg gtcctgctca 60

gcccagctca ccgcgcgccg gccctcggcg ccctcggcgc cctggttctg cggatcagga 120

gaaaataatg aatgtcaaag gaaaagtaat tctgtcaatg ctggttgtct caactgtgat 180

cattgtgttt tgggaattta tcaacagcac agaaggctct ttcttgtgga tatatcactc 240

aaaaaaccca gaagttgatg acagcagtgc tcagaagggc tggtggtttc tgagctggtt 300

taacaatggg atccacaatt atcaacaagg ggaagaagac atagacaaag aaaaaggaag 360

agaggagacc aaaggaagga aaatgacaca acagagcttc ggctatggga ctggtttaat 420

ccaaacttga aggaatccga ataactaaac tggactctgg ttttctgact cagtccttct 480

agaagacctg gactgagaga tcatgcggtt aaggagtgtg taacaggcgg accacctgtt 540

gggactgcga gattctcaag gggaaggact gggtctcatt tctcccatct cagcgcttag 600

caggatgacc tggtatagag cagggaactg ggaaatgtgg gtcaggggat cagacactcc 660

agttgggtct tttatataaa ttaaatggca aaaggctcca tacccttctc cttctttcct 720

accctccact ttatctgcaa aatgggaatg atgataacac ccacttcata gaatggtcat 780

gaagatcaaa tgagagaata aaagtcaagc acttagcctc tggtgcacaa taagtattaa 840

ataagtatac ctattcctcc ttttcctttt ttaaaaataa tattaccaaa tgtccagctt 900

atacacattt acaagactta gctagtgggc tatgttagag ctactaaaag atctttgaca 960

agctaaaact aagatgcaat gaatgaggtg taacgaacaa gagagtttta agttcagaaa 1020

tggttacaga agtataagac agctgtgtgg gtgtttttttg gtttttggtt tctggtttac 1080

aatctcgtca ttcaacaaag atgggagttt tatagaacta aaagcaccat gtaagctact 1140

aaaaacaaca acaaaaaagg ctcatcattt ctcagtctga attgacaaaa atgccaatgc 1200

aaataaaaat gattactttt tatttttcaa cg 1232

<210> 31

<211> 1275

<212> DNA

<213> Homo sapiens

<400> 31

ctcagactga atacatggcc cactgtcgct ccagccatct caaatggaac gacctgttct 60

ctgaagtata tcttacagtg ctttctctcg aatccccttt gggaaatcta aaggctgaat 120

ccagccagct tttccatgct gcctggtctg gaaatcactg caagggtttt tcccagagaa 180

ccaaagtaag ataaatgaaa gatgctacac aattctgctg agggctctgt ctactcccca 240

tctcctgaaa cagctgttta ttctttcgac aggagttgaa accagcacct tccctttctc 300

tgagtcctgc ctccttctgc ggaagggagc tcaaaagaac tttgttgttt tgccttttac 360

tctggggtga aagcggcagg aggtatgtga gatggtgaaa tgatttgctt ctgccatgct 420

ggggtcacgg gtggatcgcc ctaaactctc ggtggccccc tcagtagttt tggaagagga 480

ccaagtcctt gtctctccag cagtggacct ggaagaagga tgccggctca gggacttcac 540

tgagaaaata atgaatgtca aaggaaaagt aattctgtca atgctggttg tctcaactgt 600

gatcattgtg ttttgggaat ttatcaacag cacagaaggc tctttcttgt ggatatatca 660

ctcaaaaaac ccagaagttg atgacagcag tgctcagaag ggctggtggt ttctgagctg 720

gtttaacaat gggatccaca attatcaaca aggggaagaa gacatagaca aagaaaaagg 780

aagagaggag accaaaggaa ggaaaatgac acaacagagc ttcggctatg ggactggttt 840

aatccaaact tgaaggaatc cgaataacta aactggactc tggttttctg actcagtcct 900

tctagaagac ctggactgag agatcatgcg gttaaggagt gtgtaacagg cggaccacct 960

gttgggactg cgagattctc aaggggaagg actgggtctc atttctccca tctcagcgct 1020

tagcaggatg acctggtata gagcagggaa ctgggaaatg tgggtcaggg gatcagacac 1080

tccagttggg tcttttatat aaattaaatg gcaaaaggct ccataccctt ctccttcttt 1140

cctaccctcc actttatctg caaaatggga atgatgataa cacccacttc atagaatggt 1200

catgaagatc aaatgagaga ataaaagtca agcacttagc ctctggtgca caataagtat 1260

taaataagta tacct 1275

<210> 32
<211> 1655
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(272)
<223> This is exon 1a

<220>
<221> misc_feature
<222> (273)..(541)
<223> This is exon 2

<220>
<221> misc_feature
<222> (542)..(630)
<223> This is exon 4

<220>
<221> misc_feature
<222> (631)..(666)
<223> This is exon 5

<220>
<221> misc_feature
<222> (667)..(732)
<223> This is exon 6

<220>
<221> misc_feature
<222> (733)..(848)
<223> This is exon 7

<220>
<221> misc_feature
<222> (849)..(1655)
<223> This is exon 8h

<400> 32
ctcagactga atacatggcc cactgtcgct ccagccatct caaatggaac gacctgttct 60

ctgaagtata tcttacagtg ctttctctcg aatccccttt gggaaatcta aaggctgaat 120

ccagccagct tttccatgct gcctggtctg gaaatcactg caagggtttt tcccagagaa 180

ccaaagtaag ataaatgaaa gatgctacac aattctgctg agggctctgt ctactcccca 240

tctcctgaaa cagctgttta ttctttcgac aggagttgaa accagcacct tccctttctc 300

tgagtcctgc ctccttctgc ggaagggagc tcaaaagaac tttgttgttt tgccttttac 360

tctggggtga aagcggcagg aggtatgtga gatggtgaaa tgatttgctt ctgccatgct 420

ggggtcacgg gtggatcgcc ctaaactctc ggtggccccc tcagtagttt tggaagagga 480

ccaagtcctt gtctctccag cagtggacct ggaagaagga tgccggctca gggacttcac 540

tgagaaaata atgaatgtca aaggaaaagt aattctgtca atgctggttg tctcaactgt 600

gatcattgtg ttttgggaat ttatcaacag cacagaaggc tctttcttgt ggatatatca 660

ctcaaaaaac ccagaagttg atgacagcag tgctcagaag ggctggtggt ttctgagctg 720

gtttaacaat gggatccaca attatcaaca aggggaagaa gacatagaca aagaaaaagg 780

aagagaggag accaaaggaa ggaaaatgac acaacagagc ttcggctatg ggactggttt 840

aatccaaact tgaaggaatc cgaataacta aactggactc tggttttctg actcagtcct 900

tctagaagac ctggactgag agatcatgcg gttaaggagt gtgtaacagg cggaccacct 960

gttgggactg cgagattctc aaggggaagg actgggtctc atttctccca tctcagcgct 1020

tagcaggatg acctggtata gagcagggaa ctgggaaatg tgggtcaggg gatcagacac 1080

tccagttggg tcttttatat aaattaaatg gcaaaaggct ccataccctt ctccttcttt 1140

cctaccctcc actttatctg caaaatggga atgatgataa cacccacttc atagaatggt 1200

catgaagatc aaatgagaga ataaaagtca agcacttagc ctctggtgca caataagtat 1260

taaataagta tacctattcc tccttttcct tttttaaaaa taatattacc aaatgtccag 1320

cttatacaca tttacaagac ttagctagtg ggctatgtta gagctactaa aagatctttg 1380

acaagctaaa actaagatgc aatgaatgag gtgtaacgaa caagagagtt ttaagttcag 1440

aaatggttac agaagtataa gacagctgtg tgggtgtttt ttggtttttg gtttctggtt 1500

tacaatctcg tcattcaaca aagatgggag ttttatagaa ctaaaagcac catgtaagct 1560

actaaaaaca acaacaaaaa aggctcatca tttctcagtc tgaattgaca aaaatgccaa 1620

tgcaaataaa aatgattact ttttatttttt caacg 1655

<210> 33
<211> 3322
<212> DNA
<213> Homo sapiens

<400> 33
gtggctgatc agagcgcgta gggcttcgcc ggggccggga gctgggcgcg gtcctgctca 60

gcccagctca ccgcgcgccg gccctcggcg ccctcggcgc cctggttctg cggatcagga 120

gaaaataatg aatgtcaaag gaaaagtaat tctgtcaatg ctggttgtct caactgtgat 180

cattgtgttt tgggaattta tcaacagcac agaaggctct ttcttgtgga tatatcactc 240

aaaaaaccca gaagttgatg acagcagtgc tcagaagggc tggtggtttc tgagctggtt 300

taacaatggg atccacaatt atcaacaagg ggaagaagac atagacaaag aaaaaggaag 360

agaggagacc aaaggaagga aaatgacaca acagagcttc ggctatggga ctggtttaat 420

ccaaacttga aggaatccga ataactaaac tggactctgg ttttctgact cagtccttct 480

agaagacctg gactgagaga tcatgcggtt aaggagtgtg taacaggcgg accacctgtt 540

gggactgcga gattctcaag gggaaggact gggtctcatt tctcccatct cagcgcttag 600

caggatgacc tgatataatg atcattactt ggaggagttc ataacatctg ctaataggta 660

cttcatggtt ggccacaaag tcatatttta catcatggtg gatgatgtct ccaagctgcc 720

gtttatagag ctgggtcctc tgcattcctt caaaatgttt gaggtcaagc cagagaagag 780

gtggcaagac atcagcatga tgcgtatgaa gatcactggg gagcacatct tggcccacat 840

ccaacacgag gtcgacttcc tcttctgcat ggatgtggac caggtcttcc aagaccattt 900

tggggtggag accctaggcc agtcagtggc tcagctacag gctggcggta caaggcagat 960

ccctatgact ttacctagga gaggtggaaa gagtcagcag gatacattcc atttggccag 1020

gggattttta ttaccatgca gccatttctg gaggaacacc cattcaggtt ctcaacatca 1080

cccaggagtg ctttaaggga atcctcctgg acaagaaaaa tgacatagaa gccaagtggc 1140

atgatgaaag ccacctaaac aagtatttcc ttctcaataa accctctaaa atcttatccc 1200

taaaatactg ctgggattat catataggcc tgccttcaga tattaaaact gtcaagtgat 1260

cgtggcagac aaaagagtat aatttggtta gaaataatgt ctgacttcaa attgtgccag 1320

tagatttctg aatttaagag agagaatatt ctggctactt cctcagaaaa gtaacactta 1380

attttaactt caaaaaatac taatgaaaca ccaacagggc aaaaacatac cattcctcct 1440

tgtaacttgg ggctttgtaa tgtggaagaa tgaatctagg gcaatcagat ataaattccc 1500

agtgatttct tatctattct gggtttgggg gaaatactat caactgaacc aaaaataact 1560

tgtcataggc agagataaag ccagaaacac tctacacatg ccagatgaca tctggagaaa 1620

agggtgctaa gggaagcgtt tggcagcaag atatgattgt aaggggttgt cccttgagtt 1680

caatgtctgc ctatttctga tgggtctaaa gcaacatgga gttactgtgc agcagaactc 1740

tcagtaaaga caccatttgc cttggcaatc ctcaaaaagc ttcaatagca gattgcttca 1800

gaccatctgt agtccgtcct tttctcatct ggatgttgtt tggcttctgt gcgaaagatt 1860

ggtggagtgt cccagtagat atcatggtgg tgtgtgatca gagtcccaag gaacctgaat 1920

gagccaaggt gcccagcatg aagtcaaaac aaagccttga catgagtttg ccatgaaata 1980

gcgaagagag agtggaagag aggagccaat cactgtgggg cagtgccacc ctgagggcac 2040

ttagggtatg gggttggtgc ttaaatacat cacagatcca ggtactgaat gggaggaagt 2100

gtgggtgatt tccaatctca ttgaccctat gttcagggac ttgaacggaa gatgtttctt 2160

gtgttgccta agtggtattc agtctaccag actctgcaac ttgcatcttc aaatccttgg 2220

taaagagatg tggatggtgt cagagaaggc aaaggcctgc agtggattga agaggcttgc 2280

aagcagttct gtttctagga tgtgggcttc atcagaagac actcggtcac cacttagcta 2340

gtctaaacct cagggttcct cagcccatca taccccaact tggaggactg acatcaagga 2400

gtagactgga gaaacagccc tcccatcaag taacctcttg ttctctcctg ctccatctgc 2460

actatagaag tgtaataatt agacatactt ggcaaaatgg ctaattgatt tggtaacaga 2520

agcatgagcc ataacaatgg aagatctagt tatcatgact gaacagctta acattcaatt 2580

cccttctcta agagaagctg tgaaatccta catattattt aaagttaacc aaatcaatgt 2640

aaagggagtt aggagacagt gtgtacctat gcacgtatat ttatgttttg cttgtgttcc 2700

agtctcggtc atttgtttcc attttcaagc aatttatttg aagagccatt gcactagcct 2760

gatgtatact gcaatgagct tctttgataa aatgaaactt aaatttttct cgaccatttc 2820

accgtgcctc ctacttcatt ttttgccaga aaatctcaca tccaacaaaa caaaacaaaa 2880

accctgaatt agtgggcttt gaaaaggaaa aagcagggct ttgaaaaagt agatcacaca 2940

tcagttaaga ctcctgcttc tctattagtc aggttgtctt ggattcagtc tggagtaggc 3000

agagcttaag ggtttttaag tcctgaccca aagaaatgat ctagcctgaa agtttagagc 3060

aaaggactaa tgtttacttt taaaggaatt tcttgatttt tttaaaaaac ttcattaaag 3120

tttaaatccc caatggacaa attcataatc ttgttaatcg ttattactaa acttttaaa 3180

aaatgtccca atttacaatt aaataaatta ctttctcagt atattctggt ctggtcatgg 3240

attgtgcatt tcctcccaaa gatattcaaa attgtcaatt agagaatttt aggttttcag 3300

actcagaaaa gtcctcacgc cc 3322

<210> 34
<211> 3745
<212> DNA
<213> Homo sapiens

<400> 34
ctcagactga atacatggcc cactgtcgct ccagccatct caaatggaac gacctgttct 60

ctgaagtata tcttacagtg ctttctctcg aatccccttt gggaaatcta aaggctgaat 120

ccagccagct tttccatgct gcctggtctg gaaatcactg caagggtttt tcccagagaa 180

ccaaagtaag ataaatgaaa gatgctacac aattctgctg agggctctgt ctactcccca 240

tctcctgaaa cagctgttta ttctttcgac aggagttgaa accagcacct tccctttctc 300

tgagtcctgc ctccttctgc ggaagggagc tcaaaagaac tttgttgttt tgccttttac 360

tctggggtga aagcggcagg aggtatgtga gatggtgaaa tgatttgctt ctgccatgct 420

ggggtcacgg gtggatcgcc ctaaactctc ggtggccccc tcagtagttt tggaagagga 480

ccaagtcctt gtctctccag cagtggacct ggaagaagga tgccggctca gggacttcac 540

tgagaaaata atgaatgtca aaggaaaagt aattctgtca atgctggttg tctcaactgt 600

gatcattgtg ttttgggaat ttatcaacag cacagaaggc tctttcttgt ggatatatca 660

ctcaaaaaac ccagaagttg atgacagcag tgctcagaag ggctggtggt ttctgagctg 720

gtttaacaat gggatccaca attatcaaca aggggaagaa gacatagaca aagaaaaagg 780

aagagaggag accaaaggaa ggaaaatgac acaacagagc ttcggctatg ggactggttt 840

aatccaaact tgaaggaatc cgaataacta aactggactc tggttttctg actcagtcct 900

tctagaagac ctggactgag agatcatgcg gttaaggagt gtgtaacagg cggaccacct 960

gttgggactg cgagattctc aaggggaagg actgggtctc atttctccca tctcagcgct 1020

tagcaggatg acctgatata atgatcatta cttggaggag ttcataacat ctgctaatag 1080

gtacttcatg gttggccaca aagtcatatt ttacatcatg gtggatgatg tctccaagct 1140

gccgtttata gagctgggtc ctctgcattc cttcaaaatg tttgaggtca agccagagaa 1200

gaggtggcaa gacatcagca tgatgcgtat gaagatcact ggggagcaca tcttggccca 1260

catccaacac gaggtcgact tcctcttctg catggatgtg gaccaggtct tccaagacca 1320

ttttggggtg gagaccctag gccagtcagt ggctcagcta caggctggcg gtacaaggca 1380

gatccctatg actttaccta ggagaggtgg aaagagtcag caggatacat tccatttggc 1440

caggggattt ttattaccat gcagccattt ctggaggaac acccattcag gttctcaaca 1500

tcacccagga gtgctttaag ggaatcctcc tggacaagaa aaatgacata gaagccaagt 1560

ggcatgatga aagccaccta aacaagtatt tccttctcaa taaaccctct aaaatcttat 1620

ccctaaaata ctgctgggat tatcatatag gcctgccttc agatattaaa actgtcaagt 1680

gatcgtggca gacaaaagag tataatttgg ttagaaataa tgtctgactt caaattgtgc 1740

cagtagattt ctgaatttaa gagagagaat attctggcta cttcctcaga aaagtaacac 1800

ttaattttaa cttcaaaaaa tactaatgaa acaccaacag ggcaaaaaca taccattcct 1860

ccttgtaact tggggctttg taatgtggaa gaatgaatct agggcaatca gatataaatt 1920

cccagtgatt tcttatctat tctgggtttg ggggaaatac tatcaactga accaaaaata 1980

acttgtcata ggcagagata aagccagaaa cactctacac atgccagatg acatctggag 2040

aaaagggtgc taagggaagc gtttggcagc aagatatgat tgtaaggggt tgtcccttga 2100

gttcaatgtc tgcctatttc tgatgggtct aaagcaacat ggagttactg tgcagcagaa 2160

ctctcagtaa agacaccatt tgccttggca atcctcaaaa agcttcaata gcagattgct 2220

tcagaccatc tgtagtccgt ccttttctca tctggatgtt gtttggcttc tgtgcgaaag 2280

attggtggag tgtcccagta gatatcatgg tggtgtgtga tcagagtccc aaggaacctg 2340

aatgagccaa ggtgcccagc atgaagtcaa aacaaagcct tgacatgagt ttgccatgaa 2400

atagcgaaga gagagtggaa gagaggagcc aatcactgtg gggcagtgcc accctgaggg 2460

cacttagggt atggggttgg tgcttaaata catcacagat ccaggtactg aatgggagga 2520

agtgtgggtg atttccaatc tcattgaccc tatgttcagg gacttgaacg gaagatgttt 2580

cttgtgttgc ctaagtggta ttcagtctac cagactctgc aacttgcatc ttcaaatcct 2640

tggtaaagag atgtggatgg tgtcagagaa ggcaaaggcc tgcagtggat tgaagaggct 2700

tgcaagcagt tctgtttcta ggatgtgggc ttcatcagaa gacactcggt caccacttag 2760

ctagtctaaa cctcagggtt cctcagccca tcatacccca acttggagga ctgacatcaa 2820

ggagtagact ggagaaacag ccctcccatc aagtaacctc ttgttctctc ctgctccatc 2880

tgcactatag aagtgtaata attagacata cttggcaaaa tggctaattg atttggtaac 2940

agaagcatga gccataacaa tggaagatct agttatcatg actgaacagc ttaacattca 3000

attcccttct ctaagagaag ctgtgaaatc ctacatatta tttaaagtta accaaatcaa 3060

tgtaaaggga gttaggagac agtgtgtacc tatgcacgta tatttatgtt ttgcttgtgt 3120

tccagtctcg gtcatttgtt tccattttca agcaatttat ttgaagagcc attgcactag 3180

cctgatgtat actgcaatga gcttctttga taaaatgaaa cttaaatttt tctcgaccat 3240

ttcaccgtgc ctcctacttc atttttttgcc agaaaatctc acatccaaca aaacaaaaca 3300

aaaaccctga attagtgggc tttgaaaagg aaaaagcagg gctttgaaaa agtagatcac 3360

acatcagtta agactcctgc ttctctatta gtcaggttgt cttggattca gtctggagta 3420

ggcagagctt aagggttttt aagtcctgac ccaaagaaat gatctagcct gaaagtttag 3480

agcaaaggac taatgtttac ttttaaagga atttcttgat ttttttaaaa aacttcatta 3540

aagtttaaat ccccaatgga caaattcata atcttgttaa tcgttattac taaacttttt 3600

aaaaaatgtc ccaatttaca attaaataaa ttactttctc agtatattct ggtctggtca 3660

tggattgtgc atttcctccc aaagatattc aaaattgtca attagagaat tttaggtttt 3720

cagactcaga aaagtcctca cgccc 3745

<210> 35
<211> 244
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(60)
<223> 5' flanking sequence

<220>
<221> misc_feature

<222> (61)..(178)
<223> human untranslated exon 1

<220>
<221> Intron
<222> (179)..(244)

<400> 35
agcccggccg gccggcccac gggcgggagg acgcgcctcc gctcgggcgg aggcggcgcg 60

gtggctgatc agagcgcgta gggcttcgcc ggggccggga gctgggcgcg gtcctgctca 120

gcccagctca ccgcgcgccg gccctcggcg ccctcggcgc cctggttctg cggatcaggt 180

gggtcccgcg gggagccgcc caggtccccg gaggccacga gcaggacacg gacgggggc 240

nnnn 244

<210> 36
<211> 217
<212> DNA
<213> Homo sapiens

<220>
<221> Intron
<222> (1)..(60)

<220>
<221> misc_feature
<222> (61)..(149)
<223> human untranslated exon 4

<220>
<221> Intron
<222> (150)..(217)

<400> 36

ctcttgaagt tcattgattt aatctgttct ctttttttct cccctcttct tttttcctag 60

gagaaaataa tgaatgtcaa aggaaaagta attctgtcaa tgctggttgt ctcaactgtg 120

atcattgtgt tttgggaatt tatcaacagg taattatgaa acatgatgaa gtgatgtgga 180

tgaaaatact gctttgattc tatcctacta gtatnnn 217

<210> 37

<211> 165

<212> DNA

<213> Homo sapiens

<220>

<221> Intron

<222> (1)..(60)

<220>

<221> misc_feature

<222> (61)..(96)

<223> human untranslated exon 5

<220>

<221> Intron

<222> (97)..(165)

<400> 37

aatcgccttt ctcagaatta aaagtaacat gatatgtttt tatttctttt ttgcttttag 60

cacagaaggc tctttcttgt ggatatatca ctcaaagtgc tttgaattct agatttctag 120

gggatgtttc ccacagccac tctggcaccc cctacagtcc annnn 165

<210> 38
<211> 193
<212> DNA
<213> Homo sapiens

<220>
<221> Intron
<222> (1)..(60)

<220>
<221> misc_feature
<222> (61)..(126)
<223> human untranslated exon 6

<220>
<221> Intron
<222> (127)..(193)

<400> 38
accctaagtt tggggacacc acattttcta aaaatatttg taaacttttt catttcttag 60

aaacccagaa gttgatgaca gcagtgctca gaagggctgg tggtttctga gctggtttaa 120

caatgggtaa ggcggatcag acagcagtcg gtgtttgccc acccgcctgg tgcttgcaga 180

gggtccnnnn nnn 193

<210> 39
<211> 242
<212> DNA
<213> Homo sapiens

<220>
<221> Intron
<222> (1)..(60)

<220>
<221> misc_feature
<222> (61)..(176)
<223> human untranslated exon 7

<220>
<221> Intron
<222> (177)..(242)

<400> 39
tctttgacca ccgcaatcac cttccctgcc ttacctggtt tactttccct ttgtacttag 60

gatccacaat tatcaacaag gggaagaaga catagacaaa gaaaaaggaa gagaggagac 120

caaaggaagg aaaatgacac aacagagctt cggctatggg actggtttaa tccaaagtaa 180

gaaaagcggc gtcactccct gtgcagcaaa tccatggccc tgcagggggt ggtgtggcnn 240

nn 242

<210> 40
<211> 487
<212> DNA
<213> Homo sapiens

<220>
<221> Intron
<222> (1)..(60)

<220>
<221> misc_feature
<222> (61)..(487)
<223> a version of human untranslated exon 8h

<400> 40

atagaatatt ttaattttta attcaacata aatttttaag ggtgctgttt tttcttccag 60

cttgaaggaa tccgaataac taaactggac tctggttttc tgactcagtc cttctagaag 120

acctggactg agagatcatg cggttaagga gtgtgtaaca ggcggaccac ctgttgggac 180

tgcgagattc tcaaggggaa ggactgggtc tcatttctcc catctcagcg cttagcagga 240

tgacctggta tagagcaggg aactgggaaa tgtgggtcag gggatcagac actccagttg 300

ggtcttttat ataaattaaa tggcaaaagg ctccataccc ttctccttct ttcctaccct 360

ccactttatc tgcaaaatgg gaatgatgat aacacccact tcatagaatg gtcatgaaga 420

tcaaatgaga gaataaaagt caagcactta gcctctggtg cacaataagt attaaataag 480

tatacct 487

<210> 41
<211> 454
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)..(380)
<223> a version of the human untranslated exon 8h

<220>
<221> Intron
<222> (381)..(454)

<400> 41
attcctcctt ttccttttt aaaaataata ttaccaaatg tccagcttat acacatttac 60

aagacttagc tagtgggcta tgttagagct actaaaagat ctttgacaag ctaaaactaa 120

gatgcaatga atgaggtgta acgaacaaga gagttttaag ttcagaaatg gttacagaag 180

tataagacag ctgtgtgggt gttttttggt ttttggtttc tggtttacaa tctcgtcatt 240

caacaaagat gggagtttta tagaactaaa agcaccatgt aagctactaa aaacaacaac 300

aaaaaaggct catcatttct cagtctgaat tgacaaaaat gccaatgcaa ataaaaatga 360

ttacttttta tttttcaacg ttgtttgttt atttatttat ttcgagatgg agtttcactc 420

ttgttgccct ggctggagtg cagtggcgcn nnnn 454

<210> 42
<211> 2848
<212> DNA
<213> Homo sapiens

<220>
<221> Intron
<222> (1)..(65)

<220>
<221> misc_feature
<222> (66)..(2676)
<223> human untranslated exon 9

<220>
<221> misc_feature
<222> (2677)..(2848)
<223> an inter-gene sequence

<400> 42
ttcagcttgt ggtttctttc aggaatccca gaggataaat gttttgcttt tcttctttgt 60

ttcagatata atgatcatta cttggaggag ttcataacat ctgctaatag gtacttcatg 120

gttggccaca aagtcatatt ttacatcatg gtggatgatg tctccaagct gccgtttata 180

gagctgggtc ctctgcattc cttcaaaatg tttgaggtca agccagagaa gaggtggcaa 240

gacatcagca tgatgcgtat gaagatcact ggggagcaca tcttggccca catccaacac 300

gaggtcgact tcctcttctg catggatgtg gaccaggtct tccaagacca ttttggggtg 360

gagaccctag gccagtcagt ggctcagcta caggctggcg gtacaaggca gatccctatg 420

actttaccta ggagaggtgg aaagagtcag caggatacat tccatttggc caggggattt 480

ttattaccat gcagccattt ctggaggaac acccattcag gttctcaaca tcacccagga 540

gtgctttaag ggaatcctcc tggacaagaa aaatgacata gaagccaagt ggcatgatga 600

aagccaccta aacaagtatt tccttctcaa taaaccctct aaaatcttat ccctaaaata 660

ctgctgggat tatcatatag gcctgccttc agatattaaa actgtcaagt gatcgtggca 720

gacaaaagag tataatttgg ttagaaataa tgtctgactt caaattgtgc cagtagattt 780

ctgaatttaa gagagagaat attctggcta cttcctcaga aaagtaacac ttaattttaa 840

cttcaaaaaa tactaatgaa acaccaacag ggcaaaaaca taccattcct ccttgtaact 900

tggggctttg taatgtggaa gaatgaatct agggcaatca gatataaatt cccagtgatt 960

tcttatctat tctgggtttg ggggaaatac tatcaactga accaaaaata acttgtcata 1020

ggcagagata aagccagaaa cactctacac atgccagatg acatctggag aaaagggtgc 1080

taagggaagc gtttggcagc aagatatgat tgtaaggggt tgtcccttga gttcaatgtc 1140

tgcctatttc tgatgggtct aaagcaacat ggagttactg tgcagcagaa ctctcagtaa 1200

agacaccatt tgccttggca atcctcaaaa agcttcaata gcagattgct tcagaccatc 1260

tgtagtccgt ccttttctca tctggatgtt gtttggcttc tgtgcgaaag attggtggag 1320

tgtcccagta gatatcatgg tggtgtgtga tcagagtccc aaggaacctg aatgagccaa 1380

ggtgcccagc atgaagtcaa aacaaagcct tgacatgagt ttgccatgaa atagcgaaga 1440

gagagtggaa gagaggagcc aatcactgtg gggcagtgcc accctgaggg cacttagggt 1500

atggggttgg tgcttaaata catcacagat ccaggtactg aatgggagga agtgtgggtg 1560

atttccaatc tcattgaccc tatgttcagg gacttgaacg gaagatgttt cttgtgttgc 1620

ctaagtggta ttcagtctac cagactctgc aacttgcatc ttcaaatcct tggtaaagag 1680

atgtggatgg tgtcagagaa ggcaaaggcc tgcagtggat tgaagaggct tgcaagcagt 1740

tctgtttcta ggatgtgggc ttcatcagaa gacactcggt caccacttag ctagtctaaa 1800

cctcagggtt cctcagccca tcatacccca acttggagga ctgacatcaa ggagtagact 1860

ggagaaacag ccctcccatc aagtaacctc ttgttctctc ctgctccatc tgcactatag 1920

aagtgtaata attagacata cttggcaaaa tggctaattg atttggtaac agaagcatga 1980

gccataacaa tggaagatct agttatcatg actgaacagc ttaacattca attcccttct 2040

ctaagagaag ctgtgaaatc ctacatatta tttaaagtta accaaatcaa tgtaaaggga 2100

gttaggagac agtgtgtacc tatgcacgta tatttatgtt ttgcttgtgt tccagtctcg 2160

gtcatttgtt tccattttca agcaatttat ttgaagagcc attgcactag cctgatgtat 2220

actgcaatga gcttctttga taaaatgaaa cttaaatttt tctcgaccat ttcaccgtgc 2280

ctcctacttc atttttgcc agaaaatctc acatccaaca aaacaaaaca aaaaccctga 2340

attagtgggc tttgaaaagg aaaaagcagg gctttgaaaa agtagatcac acatcagtta 2400

agactcctgc ttctctatta gtcaggttgt cttggattca gtctggagta ggcagagctt 2460

aagggttttt aagtcctgac ccaaagaaat gatctagcct gaaagtttag agcaaaggac 2520

taatgtttac ttttaaagga atttcttgat ttttttaaaa aacttcatta aagtttaaat 2580

ccccaatgga caaattcata atcttgttaa tcgttattac taaacttttt aaaaaatgtc 2640

ccaatttaca attaaataaa ttactttctc agtatattct ggtctggtca tggattgtgc 2700

atttcctccc aaagatattc aaaattgtca attagagaat tttaggtttt cagactcaga 2760

aaagtcctca cgcccttctg aaaatgtgtc cactattaca gaaatagaac agacttggga 2820

ttcccaaatt tttgtttgtt tttnnnnn 2848

<210> 43
<211> 2303
<212> DNA
<213> Rhesus monkey

<220>
<221> misc_feature
<222> (1)..(44)
<223> This is exon 1

<220>
<221> misc_feature
<222> (45)..(159)
<223> This is exon 2

<220>
<221> misc_feature

<222> (160)..(278)
<223> This is exon 3

<220>
<221> misc_feature
<222> (279)..(367)
<223> This is exon 4

<220>
<221> misc_feature
<222> (368)..(403)
<223> This is exon 5

<220>
<221> misc_feature
<222> (404)..(469)
<223> This is exon 6

<220>
<221> misc_feature
<222> (470)..(584)
<223> This is exon 7

<220>
<221> misc_feature
<222> (585)..(2260)
<223> This is exon 9

<220>
<221> misc_feature
<222> (543)..(545)
<223> This is an early stop codon

<220>
<221> misc_feature
<222> (1276)..(1278)
<223> This is a stop codon

<220>
<221> misc_feature
<222> (1225)..(1260)
<223> This is a polyadenylation signal

<400> 43
gctcgctgcg cgccggtcct gggtgccagg gttctgcgga tcaggagttg aaaccagcat 60

cttcccttca tctgagtcct gcctccttct gcagaaggga gctcaaaaga actttgttgt 120

tttgcctttt actctggggt gaaagcaaca gacgataagg atctcactct gtcgcccaag 180

ctggagtgca gtggcttgat tacagctcac tgtagcctgg accttccaag gctctgggtg 240

atcttcctac ctcagcttcc ccagtagctg gactacagga gaaaataatg aatgtcaaag 300

gaaaagtaat tctgtcaatg ctggttgtct caactgtgat cattgtgttt tgggaatata 360

tcaatagccc agaaggttct ttcttgggga tgtatcgctc aaaaaaccca gaggttgatg 420

acagcagtgc tcagaagagc tggtggtttc cgagctggtt taacaatggg atccacaatc 480

atcaacaaga ggaagaagac atagacaaaa aagaggaaga gaggagacca aagaaaggaa 540

gatgacacaa cagagcttcg gctatgggac tgatttaatc caaaatatat tgagcattac 600

ttggaagagt tcataacacc tgctaatagg tacttcaagg tcggccacaa agtcatattt 660

tacattatag tggatgatgt ctccaaggtg ctgtttatag agctgggtcc tctgcattcc 720

ttaaaagtgt ttgaggtcaa gccagagaag aggtggcaac acatcagcat gatgcctgtg 780

aagatcatca gggagcacat cttggcccac atccaacacg aggtcgactt cctcttctgc 840

atggatgtag accaggtctt ccaagacaat tttggggtga agaccctagg tcagtcagtg 900

gctcagctac agccctggtg gtacaaggca gatcctgatg actttaccta ggagaggcag 960

aaagagtcag cagcatgcat tccatttggc caggaggatt tttattacca cacagccatt 1020

tttggaggaa cacccattca ggttctcaac atcccccagg agtgctttaa gagaatcctc 1080

ctggaaaaga aaaatgacat agaagctgag tggcatgatg aaagccacct aaaccagtat 1140

ttccttctca acaaaccctc taaaatctta tccctagaat actgctggga ttatcatatc 1200

agcctgcctt cagatattaa aactgtcaag cggtcgtggc agacaaaaga gtataatttg 1260

gttagaaata tcatctgact tcaaattgtg ccagtagatt tctgaatttg agagaggagt 1320

attctggctg cttcctcaga aaagtaacac ttaattttaa gttaaaaaaa atactaatga 1380

aacaccaaca tggcaaacac ataccattcc ttcttgtaac ttgaggcttt gtaatgtggg 1440

agaatgaatc tagggtaatc agatgtaaat tcccagtgat ttcttatcta ttttgggttt 1500

gggggaaata ctatcaactg aaccaaaaag aacttgtcat aggcaaagat aaagccagaa 1560

acactctaca catgccacat aacatctgga gaaaagggtg ctaagggaag cgtttggcag 1620

caagatatga ttgtaagggg ttgtcccttg agttcaatgc ctgcctattt ccaatggatc 1680

taaaacaacg tgaagttact gtgcagcaga gctctcagta aggacaccat ttgccttggc 1740

aatcctcaaa attcttcaat agcagattgt ttcaggccat ctgtagtctg tccttttctc 1800

atcaggatgt tgtttggctt ctgtgcgaaa aattggtgga gtgtcctggt agatattgaa 1860

actaggcctc atatagaaaa aattaacacc aggtggctct ggatagagtc ccgccctgcc 1920

tcgatgagga cccaccctga tagggtccca ccctgccaat tccgagaaac aacctcatgg 1980

ggtcccaccc tgccaattcc gggggtccca ccctgcctcg aagttcccgg aatcaacaac 2040

tccaggaaaa aacctcataa ggtcctgctc taaccaatta gcataagacg ccttgctcag 2100

gccatagcta gacccaatca ttttgcgcct taagctttgt ttgaatttcg cgccctaagc 2160

tgtgtttgaa cttgtgtttg cctatataaa cagcctgtaa caagcagtcg gggtcccagg 2220

gccaacttag agcttgggac cctagcgcgc tagtaataaa taactctctg ctgcgaaaaa 2280

aaaaaaaaaa aaaaaaaaaa aaa 2303

<210> 44
<211> 2630
<212> DNA
<213> Rhesus monkey

<220>
<221> misc_feature
<222> (1)..(44)
<223> This is exon 1

<220>
<221> misc_feature
<222> (45)..(159)
<223> This is exon 2

<220>
<221> misc_feature
<222> (160)..(278)

<223> This is exon 3

<220>
<221> misc_feature
<222> (279)..(367)
<223> This is exon 4

<220>
<221> misc_feature
<222> (368)..(403)
<223> This is exon 5

<220>
<221> misc_feature
<222> (404)..(469)
<223> This is exon 6

<220>
<221> misc_feature
<222> (470)..(584)
<223> This is exon 7

<220>
<221> misc_feature
<222> (585)..(911)
<223> This is exon 8

<220>
<221> misc_feature
<222> (912)..(2587)
<223> This is exon 9

<220>
<221> misc_feature
<222> (288)..(290)
<223> This is a putative start codon

<220>
<221> misc_feature
<222> (543)..(545)
<223> This is a putative stop codon

<220>
<221> misc_feature
<222> (1603)..(1605)
<223> This is a putative stop codon

<220>
<221> misc_feature
<222> (2582)..(2587)
<223> polyadenylation signal

<400> 44
gctcgctgcg cgccggtcct gggtgccagg gttctgcgga tcaggagttg aaaccagcat 60

cttcccttca tctgagtcct gcctccttct gcagaaggga gctcaaaaga actttgttgt 120

tttgcctttt actctggggt gaaagcaaca gacgataagg atctcactct gtcgcccaag 180

ctggagtgca gtggcttgat tacagctcac tgtagcctgg accttccaag gctctgggtg 240

atcttcctac ctcagcttcc ccagtagctg gactacagga gaaaataatg aatgtcaaag 300

gaaaagtaat tctgtcaatg ctggttgtct caactgtgat cattgtgttt tgggaatata 360

tcaatagccc agaaggttct ttcttgggga tgtatcgctc aaaaaaccca gaggttgatg 420

acagcagtgc tcagaagagc tggtggtttc cgagctggtt taacaatggg atccacaatc 480

atcaacaaga ggaagaagac atagacaaaa aagaggaaga gaggagacca aagaaaggaa 540

gatgacacaa cagagcttcg gctatgggac tgatttaatc caaagaaacg cccagaggtg 600

gtgagagtga ccagatggaa ggcaccggtt gtgtggaaag gcacttacaa caaagccatc 660

ctaggaaatt attatgccaa acagaaaatt acggtgggat tgaaggcttt tgctattgga 720

agtgggtgtc actgatgaaa ctgtccttga ctatttcttg ttccactgtc aagacatttt 780

tgtggagact cctgaactga tggaggccag ccatgatttt ttgatttatt agatagaaga 840

atgttttcat ggaactgttt tagtctcctt tctgctgagg ccctaaaatg ctgagaacaa 900

aataagagta gatatattga gcattacttg gaagagttca taacacctgc taataggtac 960

ttcaaggtcg gccacaaagt catattttac attatagtgg atgatgtctc caaggtgctg 1020

tttatagagc tgggtcctct gcattcctta aaagtgtttg aggtcaagcc agagaagagg 1080

tggcaacaca tcagcatgat gcctgtgaag atcatcaggg agcacatctt ggcccacatc 1140

caacacgagg tcgacttcct cttctgcatg gatgtagacc aggtcttcca agacaatttt 1200

ggggtgaaga ccctaggtca gtcagtggct cagctacagc cctggtggta caaggcagat 1260

cctgatgact ttacctagga gaggcagaaa gagtcagcag catgcattcc atttggccag 1320

gaggattttt attaccacac agccattttt ggaggaacac ccattcaggt tctcaacatc 1380

ccccaggagt gctttaagag aatcctcctg gaaaagaaaa atgacataga agctgagtgg 1440

catgatgaaa gccacctaaa ccagtatttc cttctcaaca aaccctctaa aatcttatcc 1500

ctagaatact gctgggatta tcatatcagc ctgccttcag atattaaaac tgtcaagcgg 1560

tcgtggcaga caaaagagta taatttggtt agaaatatca tctgacttca aattgtgcca 1620

gtagatttct gaatttgaga gaggagtatt ctggctgctt cctcagaaaa gtaacactta 1680

attttaagtt aaaaaaaata ctaatgaaac accaacatgg caaacacata ccattccttc 1740

ttgtaacttg aggctttgta atgtgggaga atgaatctag ggtaatcaga tgtaaattcc 1800

cagtgatttc ttatctattt tgggtttggg ggaaatacta tcaactgaac caaaaagaac 1860

ttgtcatagg caaagataaa gccagaaaca ctctacacat gccacataac atctggagaa 1920

aagggtgcta agggaagcgt ttggcagcaa gatatgattg taaggggttg tcccttgagt 1980

tcaatgcctg cctatttcca atggatctaa aacaacgtga agttactgtg cagcagagct 2040

ctcagtaagg acaccatttg ccttggcaat cctcaaaatt cttcaatagc agattgtttc 2100

aggccatctg tagtctgtcc ttttctcatc aggatgttgt ttggcttctg tgcgaaaaat 2160

tggtggagtg tcctggtaga tattgaaact aggcctcata tagaaaaaat taacaccagg 2220

tggctctgga tagagtcccg ccctgcctcg atgaggaccc accctgatag ggtcccaccc 2280

tgccaattcc gagaaacaac ctcatggggt cccaccctgc caattccggg ggtcccaccc 2340

tgcctcgaag ttcccggaat caacaactcc aggaaaaaac ctcataaggt cctgctctaa 2400

ccaattagca taagacgcct tgctcaggcc atagctagac ccaatcattt tgcgccttaa 2460

gctttgtttg aatttcgcgc cctaagctgt gtttgaactt gtgtttgcct atataaacag 2520

cctgtaacaa gcagtcgggg tcccagggcc aacttagagc ttgggaccct agcgcgctag 2580

taataaataa ctctctgctg cgaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2630

<210> 45
<211> 35
<212> DNA
<213> Artificial/Unknown

<220>
<221> misc_feature
<222> ()..()
<223> Antisense primer for cloning porcine exon 4

<400> 45
ctgttgatgt attcccaaaa cacaaccatt acagt 35

<210> 46
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> Antisense primer for cloning porcine exon 4

<400> 46
agacaagcag cattgacaga accactc 27

<210> 47
<211> 25
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature

<222> ()..()
<223> Antisense primer for cloning porcine exon 2

<400> 47
ctcatcctct gcttctctcc cccca 25

<210> 48
<211> 26
<212> DNA
<213> artificial sequence

<400> 48
ccccccagag taaaaggcga aacaag 26

<210> 49
<211> 25
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> Sense primer for cloning porcine exon 2

<400> 49
aacgcagcac cttcccttcc tccca 25

<210> 50
<211> 25
<212> DNA
<213> artificial sequence

<400> 50

cttgtttcgc cttttactct ggggg 25

<210> 51
<211> 23
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> Sense primer for cloning porcine exon 1

<400> 51
gccactgttc cctcagccga gga 23

<210> 52
<211> 24
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> Sense primer for cloning porcine exon 1

<400> 52
cgagcgcacc cagcttctgc cgat 24

<210> 53
<211> 24
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> Antisense primer for cloning porcine exon 1

<400> 53
tgcgctcggg gatggccctc tcct 24

<210> 54
<211> 24
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> Antisense primer for cloning porcine exon 1

<400> 54
ggcgtcctcg gctgagggaa cagt 24

<210> 55
<211> 28
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> Sense primer for cloning porcine exon 1A

<400> 55
cagaacaact tctgaagcct aaaggatg 28

<210> 56
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> Sense primer for cloning porcine exon 1

<400> 56
caaatggtgg atcggacctc ccaggct 27

<210> 57
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> Sense primer for cloning porcine exon 1

<400> 57
agtactgggt gatagacccc actccac 27

<210> 58
<211> 25
<212> DNA
<213> artificial sequence

<220>

<221> misc_feature

<222> ()..()

<223> Sense primer for cloning porcine exon 1

<400> 58

gcgcagggct ccggggcccc tccct 25

<210> 59

<211> 27

<212> DNA

<213> artificial sequence

<220>

<221> misc_feature

<222> ()..()

<223> Sense primer for cloning porcine exon 9

<400> 59

ctgggattat catataggca tgtctgt 27

<210> 60

<211> 27

<212> DNA

<213> artificial sequence

<220>

<221> misc_feature

<222> ()..()

<223> Sense primer for cloning porcine exon 9

<400> 60

agagtattac tctggctact tctccag 27

<210> 61
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying 5' flanking region of murine exon 1

<400> 61
ctgagagcgc gaggtcttca gcagaat 27

<210> 62
<211> 28
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying 5' flanking region of murine exon 1

<400> 62
cttctcattc caagaagagt cttacaag 28

<210> 63
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature

<222> ()..()
<223> primer for identifying 3' flanking region of murine exon 1

<400> 63
cctgcctttt cttagctggc tgacacc 27

<210> 64
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying 3' flanking region of murine exon 1

<400> 64
cttgtagact cttcttggaa tgagaag 27

<210> 65
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying 5' flanking region of murine exon 2

<400> 65
catcgtcagc tgtgttccct ccaaagc 27

<210> 66
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying 5' flanking region of murine exon 2

<400> 66
aaagcaaccg agcttctgtc gagctct 27

<210> 67
<211> 38
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifyingmurine exons 2 and 3

<400> 67
gtaccttcct ttcctctgct gagccctgcc tccttcgg 38

<210> 68
<211> 35
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()

<223> primer for identifying murine exons 2 and 3

<400> 68
agatcttgag gatccaagac ttgtttctga cttgg 35

<210> 69
<211> 34
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying murine exons 3 and 4

<400> 69
gctgactttg aactcaagag atctgcttta cccc 34

<210> 70
<211> 28
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying murine exons 3 and 4

<400> 70
ctgttgacat attcccaaaa cacgacaa 28

<210> 71

<211> 30
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying murine exons 4 and 5

<400> 71
gtcaagggaa aagtaatcct gttgatgctg 30

<210> 72
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying murine exons 4 and 5

<400> 72
tatccacaag aaagagccgt ctgggct 27

<210> 73
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying murine exons 5 and 6

<400> 73
agcccagacg gctctttctt gtggata 27

<210> 74
<211> 34
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying murine exons 5 and 6

<400> 74
ccagcttggg aaccaccagt ccttctgcca tctg 34

<210> 75
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying murine exons 6 and 7

<400> 75
ttccagaggt tggtgagaac agatggc 27

<210> 76
<211> 33

<212> DNA

<213> artificial sequence

<220>

<221> misc_feature

<222> ()..()

<223> primer for identifying murine exons 6 and 7

<400> 76

gcgatctcca tttctaccct tttctctccg tcc 33

<210> 77

<211> 28

<212> DNA

<213> artificial sequence

<220>

<221> misc_feature

<222> ()..()

<223> primer for identifying murine exon 7

<400> 77

caagaagaca acgtagaagg acggagag 28

<210> 78

<211> 27

<212> DNA

<213> artificial sequence

<220>

<221> misc_feature

<222> ()..()

<223> primer for identifying murine exon 7

<400> 78
tcgcattgaa gagcctcagc tatggga 27

<210> 79
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying exon 8

<400> 79
ccacagtgag tttctgtgtg gcgatgt 27

<210> 80
<211> 28
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying murine exon 8

<400> 80
agagctgtgt cataagtgcc ttcccaca 28

<210> 81
<211> 27
<212> DNA

<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying murine exon 8

<400> 81
gatgttttga cagtgacccc gtggaag 27

<210> 82
<211> 28
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying murine exon 8

<400> 82
tgtgggaagg cacttatgac acagctct 28

<210> 83
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying murine exon 9

<400> 83
agagggttca ggtgcacgac aggcatc 27

<210> 84
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying murine exon 8

<400> 84
gtacatgtca gcagactcca gaaagtc 27

<210> 85
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying 3' flanking region of murine exon 9

<400> 85
gactttctgg agtctgctga catgtac 27

<210> 86
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying 3' flanking region of murine exon 9

<400> 86
gatgcctgtc gtgcacctga accctct 27

<210> 87
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying 3' flanking region of murine exon 9

<400> 87
aggccattgc accatcttgg tgaacag 27

<210> 88
<211> 28
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for identifying 3' flanking region of murine exon 9

<400> 88

gatcttacct ttgtccacag ggctctac 28

<210> 89
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for obtaining murine promoter

<400> 89
ccaatgcatc ttttcccagt gggctct 27

<210> 90
<211> 27
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for isolation of transcription initiation site

<400> 90
cccagaacag atctgactgc ctctttc 27

<210> 91
<211> 27
<212> DNA
<213> artificial sequence

<220>

<221> misc_feature

<222> ()..()

<223> primer for isolation of transcription initiation site

<400> 91

agttttgctt gtctgggcca ctatcgg 27

<210> 92

<211> 27

<212> DNA

<213> artificial sequence

<220>

<221> misc_feature

<222> ()..()

<223> primer for isolation of transcription initiation site

<400> 92

gactggagag agtgctgtcc tccttgc 27

<210> 93

<211> 29

<212> DNA

<213> artificial sequence

<220>

<221> misc_feature

<222> ()..()

<223> primer for cloning Rhesus alpha 1,3 GT

<400> 93

gaggtcaagc cagagaagag gtggcaaca 29

<210> 94
<211> 30
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for cloning Rhesus alpha 1,3 GT

<400> 94
gacttcctct tctgcatgga tgtagaccag 30

<210> 95
<211> 29
<212> DNA
<213> artificial sequence

<220>
<221> misc_feature
<222> ()..()
<223> primer for cloning Rhesus alpha 1,3 GT

<400> 95
atgtcgagaa cctgaatggg tgttcctcc 29

<210> 96
<211> 30
<212> DNA
<213> artificial sequence

<220>

<221> misc_feature

<222> ()..()

<223> primer for cloning Rhesus alpha 1,3 GT

<400> 96

ctggccaaat ggaatgcatg ctgctgactc 30